



turf TRUST[®]

Broadleaf Weed Control With Gallery[®]

- Stops broadleaf weeds before they start
- Contains "Gallery"[™] for a picture perfect lawn
- Long-Lasting, season long control
- Effective weed control/prevention assures thicker healthier lawns
- Apply early spring or late fall


0-0-7

ISOXABEN	GROUP	21	
----------	-------	----	--

Active Ingredient:
Isoxaben: N-[3-(1-ethyl-1-methylpropyl)-5-isoxazolyl]-2,6-dimethoxybenzamide and isomers 0.38%
Other Ingredients 99.62%
Total 100.00%
Contains 0.09 lb active ingredient per 25 lb bag.

Keep Out of Reach of Children
CAUTION
(Refer to back for additional precautionary information including Directions for Use.)
Covers Up To 4,350 sq ft
In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. See back panel for first aid statement.

NET WEIGHT 20 LB (9.07 kg)



turf TRUST[®] 0-0-7

Broadleaf Weed Control with Gallery[®]

Guaranteed Fertilizer Analysis: 0-0-7 Soluble Potash (K ₂ O) 7.0% Derived From: sulfate of potash Information regarding the contents and levels of metals in this product is available on the internet at: http://www.aapfco.org/metals.html	F1612
--	--------------

Keep Out Of Reach Of Children
CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Eye Irritation • Harmful If Swallowed, Inhaled Or Absorbed Through The Skin. Avoid breathing dust and contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

Ground Water Advisory: This pesticide has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

Surface Water Advisory: This pesticide may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soil and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of isoxaben from runoff water and sediment.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container. Protect stored product from moisture. In case of leak or spill, contain material and dispose as waste.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain.

Product Information

This turf fertilizer product contains Gallery[®], a preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in established turfgrass, landscape ornamentals, and container grown ornamentals. Apply in late summer to early fall, in early spring, or anytime prior to germination of target weeds.

Precautions

Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] controls weeds germinating from seed. Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] does not control established weeds. Existing weeds should be controlled with postemergence herbicides. To ensure optimal fertilizer and herbicidal response, water treated areas as soon as possible after application. A single rainfall or sprinkler irrigation of 0.5 inch or more is required to activate this product.

Use Restrictions

Do not apply more than 19 lb of Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] per 1000 sq ft.

Not for sale, distribution or use in New York State.

Do not apply by air.

Do not apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] to turfgrass grown for seed.

Treatment of Turfgrass or Ornamental Species not Listed on the Label for Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®]

Users who wish to use Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] on a plant species not listed on this label must determine the suitability for such use by treating a small area or a small number of plants at a specified rate. Prior to treating a larger area, observe the treated area/plants for any sign of herbicidal injury during 30 to 60 days of typical growing conditions.

Application Instructions

Apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] using a drop or rotary-type spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. When using a drop-type spreader, a splash board mounted below the release point will provide more even granule distribution.

Check equipment frequently to verify calibration and proper functioning.

Broadcast Application Rates

Apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] at a broadcast rate of 4.6 to 5.7 lb per 1000 sq ft. A minimum rate of 4.6 lb per 1000 sq ft will provide optimum results. Use the higher rate in the rate range where heavy weed infestation is anticipated.

Weeds Controlled or Suppressed

Weeds controlled when applied at 4.6 to 5.7 lb per 1000 sq ft

burweed, lawn buttercup celery, wild chickweed, common chickweed, mouseear	foxtailspike geranium, Carolina henbit knobweed, prostrate mallow, little	parsley - pierl pennywort, lawn pineappleweed speedwell, thymeleaf spurge, prostrate	spurge, spotted spurry, corn woodsorrel, creeping woodsorrel, yellow
--	---	--	---

Weeds partially controlled by a single application or controlled by repeat applications when applied at 4.6 to 5.7 lb per 1000 sq ft

clover, spp. clover, white ¹	dandelion ¹ medic, black	plantain, broadleaf plantain, buckhorn	plantago, slender
--	--	---	-------------------

¹From seed only

Weeds suppressed or partially controlled when applied at 4.6 to 5.7 lb per 1000 sq ft

bluegrass, annual	crazygrass	ryegrass, annual (Italian)
-------------------	------------	----------------------------

Uses

Turfgrass

Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] may be used as a preemergence treatment for control of certain broadleaf weeds in established cool season and warm season turfgrass.

Apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] anytime prior to germination of target weeds.

Note: Refer to the Product Information section of this label for general use precautions and information on application rates and weeds controlled prior to using this product.

Use Restrictions:

Apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] only on established turfgrass. Apply to newly seeded turfgrass (including overseeded turfgrass) only after seedlings are established (three leaf stage and side shoots are visible) and well rooted. Do not overseed established turfgrass sooner than 60 days following an application of Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®].

- Do not apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] to dichondra.
- Florida Applications: Do not exceed 3 applications per year on St. Augustine grass in central Florida.

Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] may be used for use on the following turfgrass species:

Established Cool Season Turfgrass

bermudagrass, colonial bermudagrass, creeping	bluegrass, Kentucky fescue, chewings	fescue, creeping red fescue, sheep	fescue, tall ryegrass, perennial
--	---	---------------------------------------	-------------------------------------

Established Warm Season Turfgrass

bahia grass Bermudagrass centipedegrass	fescue, tall	St. Augustinegrass	zoysiagrass
--	--------------	--------------------	-------------

Ornamental Plantings

Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] may be used as a preemergence treatment for control of certain broadleaf weeds in landscape and container grown ornamentals.

Apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] anytime prior to germination of target weeds or immediately after preparing the soil.

Note: Refer to the Product Information section of this label for general use precautions and information on application rates and weeds controlled prior to using this product.

Use Restrictions:

To avoid possible plant injury, **do not** apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] to:

- unrooted liners or cuttings that have been planted in pots for the first time
- pots less than six inches wide
- bedding plants or areas where bedding plants will be planted or transplanted within 1 year after application

Do not apply Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] over the top of plants with newly forming buds may cause injury. Possible plant injury may be avoided by applying to the soil surface beneath ornamental plants.

Applications of Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] over the top of plants with newly forming buds may cause injury. Possible plant injury may be avoided by applying to the soil surface beneath ornamental plants.

When planting into a site treated with Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] in the previous 8 months, use untreated soil as fill around roots when replacing plants or injury may occur.

Injury to certain ornamental plants has been observed following application of Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®]. To avoid plant injury, do not use Pro Trust[®] Turf Trust[®] Brand Broadleaf Weed Control with Gallery[®] for weed control in the following ornamental plant species:

bigle cayuput tree candytuft Carolina rhododendron	dwarf burning bush green yucca hydrangea mustard	prince of wales juniper purple coneflower roseum elegans rhododendron spurge	stonecrop
---	---	---	-----------

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. To the extent permitted by law, otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. **SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. To the extent permitted by law, all such risks shall be assumed by Buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- Refund of purchase price paid by buyer or user for product bought, or
- Replacement of amount of product used.

To the extent permitted by law, seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

EPA Accepted 05/07/19

EPA Reg # 82719-178-82757

EPA EST. No. 82757-FL-001 (S), 82757-MA-002(H), 82757-OH-001 (MF)

First letter of lot code on the end of the container indicates manufacturing site.

Gallery[®] is a Trademark of Corteva Agriscience and its affiliated companies

Turf Trust[®] is a Trademark of ProTrust Products

ITEM #904816

Manufactured & Guaranteed by:
Turf Care Supply, LLC
50 Pearl Road, Suite 200
Brunswick, OH 44412