



STRIKER®

BUILD STRONGER WITH STRIKER

DISTRIBUTING STRONG PRODUCTS

GENERAL CONSTRUCTION | COLLATED | DRYWALL | ROOFING
CONCRETE ACCESSORIES | FENCING | ACOUSTICAL | POLY | SPECIALTY

BUILD STRONGER

WITH

STRIKER[®]

BUILD STRONGER WITH STRIKER

Accent Building Materials is the premier distributor of leading-edge building materials: collated, fasteners, roofing, drywall, concrete accessories, fencing, acoustical and specialty to the construction industry throughout the entire Sun Belt region of North America.


Our complete line of products, led by our unparalleled **STRIKER[®]** brand, offers outstanding value with uncompromised quality.

The headquarters of Accent Building Materials is located in Tomball, Texas with sales branches and distribution centers in Tomball, Texas, Tampa, Florida, and Cypress, California.

Accent Building Materials has successfully grown year over year by providing outstanding service through a seasoned team of dedicated and customer-centric professionals. We honor integrity and trust by partnering with our suppliers to provide our customers with the best products, in a timely manner using our own fleet of delivery trucks.



DISTRIBUTING THROUGHOUT THE SUN BELT REGION



5,000+ PRODUCTS


STOCKED & DISTRIBUTED THROUGHOUT THE SUN BELT REGION




**DRYWALL
& ROOFING**



**CONCRETE
ACCESSORIES**




ACOUSTICAL




**COLLATED
FASTENERS**



**GENERAL
CONSTRUCTION**



POLY



FENCING



SPECIALTY

Packaging is a critical factor for consumer brand recognition. Our consistent packaging of **STRIKER®** is intentional, reflects the brand, its values, and helps in multiple ways to become the destination for high quality fasteners in your market, increase sales and maximize your customers' satisfaction..

CLARITY

packaging is color-coded, eye-catching, and informative, makes it easy to identify in store, and what product is inside the packaging

FUNCTIONALITY

strong packaging protects the product and makes it easy to mix and match a variety of hand-drive and collated fasteners on the store shelves

PRACTICALITY

from box design to label layout, from colors to imagery, product packaging is created to make products easy to stack, display, and even easier to sell



MERCHANDISING

Large, professional construction projects need big solutions, and that's exactly what STRIKER branded products offer.

STRIKER

ACCENT BUILDING MATERIALS

BUILD STRONGER WITH STRIKER

BRIGHT / VINYL COATED -NOT FOR OUTDOOR USE- BOX COMMON DUPLEX FINISH JOIST / TRUSS HANGER POLE BARN STAPLES SINKER NAILS	ELECTRO / HOT DIP GALVANIZED -FOR OUTDOOR USE- BOX CASING COMMON SIDING DECK TIMBER TIE FINISH JOIST / TRUSS HANGER LEAD HEAD ROOFING STAPLES NAILS	BRIGHT / ZINC COATED / MECHANICALLY / ELECTRO GALVANIZED CUT MASONRY FLUTED MASONRY FINE STUB TENSION PINS TILE UNDERLAYMENT NAILS	ELECTRO / HOT DIP GALVANIZED NEOPRENE ROOFING ROUND METAL CAP SIDING TIN CAPS NAILS	PHOSPHATE / BLUED / ELECTRO GALVANIZED P/C DRYWALL NAILS AT DRYWALL NAILS PLASTER BOARD NAILS NAILS
---	--	---	--	--

STRIKER

ACCENT BUILDING MATERIALS

BUILD STRONGER WITH STRIKER

COARSE DRYWALL SCREWS PHOSPHATE COATED COARSE DRYWALL SCREWS	DECK SCREWS -NOT FOR USE WITH TRIMMED LUMBER- CERAMIC COATED WOOD - BLUED (BLU) / PHOSPHATE COATED (PHOS) / ZINC COATED (ZINC) / GALVANIZED (GALV) / HOT DIP GALVANIZED (HDG) / YELLOW ZINC COATED (YEL) / ALL-PURPOSE (AP) / CERAMIC OR BACK COATED (BC) / ALL-PURPOSE (AP) / CERAMIC OR BACK COATED (BC) / ALL-PURPOSE (AP) / CERAMIC OR BACK COATED (BC) SCREWS	ALL-PURPOSE / HILO SCREWS YELLOW ZINC COATED ALL-PURPOSE & CERAMIC OR BACK COATED HILO SCREWS	CEMENT BOARD / NEOPRENE WASHER / METAL & WOOD TIE SCREWS CERAMIC COATED CEMENT BOARD ZINC COATED NEOPRENE WASHER BACK COATED METAL & WOOD TIE SCREWS	S/D FRAMING / S/D BUGLE / S/D MOD TRUSS & PAN HEAD SCREWS ZINC OR PHOSPHATE COATED FRAMING & BUGLE SCREWS ZINC COATED MOD TRUSS & PAN HEAD SCREWS SCREWS	FINE DRYWALL / EYE LAG / LAMINATED / S/D MOD TRUSS / TRIM HEAD SCREWS PHOSPHATE COATED FINE DRYWALL LAMINATING & TRIM HEAD SCREWS ZINC COATED MOD TRUSS & EYE LAG SCREWS SCREWS	DACROMATED SCREWS -NOT FOR USE WITH TRIMMED LUMBER- DACROMATE COATED SCREWS
---	---	--	---	---	--	--

STRIKER

ACCENT BUILDING MATERIALS

BUILD STRONGER WITH STRIKER

BRIGHT / VINYL / PHOSPHATE COATED -NOT FOR OUTDOOR USE- BOX COMMON DUPLEX FINISH JOIST / TRUSS HANGER POLE BARN STAPLES SINKER NAILS	ELECTRO / HOT DIP GALVANIZED -FOR OUTDOOR USE- BOX CASING COMMON SIDING DECK TIMBER TIE FINISH JOIST / TRUSS HANGER LEAD HEAD ROOFING STAPLES NAILS	BRIGHT / ZINC COATED / MECHANICALLY / ELECTRO GALVANIZED CUT MASONRY FLUTED MASONRY FINE STUB TENSION PINS TILE UNDERLAYMENT NAILS	ELECTRO / HOT DIP GALVANIZED NEOPRENE ROOFING ROUND METAL CAP SIDING TIN CAPS NAILS	PHOSPHATE / BLUED / ZINC COATED / ELECTRO GALVANIZED P/C DRYWALL NAILS AT DRYWALL NAILS PLASTER BOARD NAILS NAILS	PHOSPHATE / ZINC COATED COARSE DRYWALL SCREWS	DACROMATE COATED -NOT FOR USE WITH TRIMMED LUMBER- DACROMATE COATED SCREWS
---	--	---	--	--	--	---

1 & 5 LB PLASTIC TUBS & BULK BUCKETS

The clear, resealable, and easy-to-carry plastic tubs and buckets feature standard package widths and easy-to-understand labeling, making them ideal for contractors to get their jobs done efficiently.



1 & 5 LB BOXES | MASTER CARTONS

The 1 lb & 5 lb boxes have a large window to provide customers a clear look of the products inside. The boxes of both sizes are designed to have the same width, so you can maximize inventory on shelves. It also makes inventorying overstock easier.

Master cartons feature the same width and height, and are individually labeled making it easy to customize product mix to meet the needs of each unique market.



BULK BOXES

The bulk boxes feature standard package widths, individual labels that are easy-to-understand, and they stack, making them easy to stock in store and merchandise.




TABLE OF CONTENTS

NAILS ›	12
General Construction & Carpentry Nails ›	13-19
Drywall Nails ›	20
Roofing Nails ›	21-23
Specialty Nails ›	25-27
COLLATED ›	28-47
SCREWS ›	48
Coarse Thread Drywall Screws ›	49-50
Light Gauge Steel Screws ›	51-53
Self-Drilling Screws ›	54-55
Roofing, Metal Building, Specialty Screws ›	56-58
Cement Board Screws ›	59
All Purpose Screws ›	60
Exterior Decking Screws ›	61-65
CONCRETE & REBAR ACCESSORIES ›	66-82
FENCING & T-POSTS ›	83-87
ACOUSTICAL ›	88-94
POLY ›	95-99
ADDITIONAL PRODUCTS ›	100-114
Nail Size Chart & Conversion Table ›	115
Wire Gauge Chart ›	116

Copyright © 2024 by ACCENT BUILDING MATERIALS. All rights reserved.

No part of this catalog may be reproduced in any form.

This catalog is for information purposes only and should not be used for design purposes. Accent Building Materials assumes no responsibility or liability for use of information in this catalog. Not all products shown are available at every location. Weights and counts are theoretical or approximated, and are for reference purposes only. Illustrations in this catalog are only to assist in identifying the products; they are not drawn to scale or intended to be an exact reproduction of the products.



STRIKER

BUILD STRONGER WITH STRIKER

NAILS

GENERAL CONSTRUCTION/CARPENTRY • DRYWALL
ROOFING • GALVANIZED • SPECIALTY



PLACE YOUR ORDER TODAY

TOMBALL, TX | 877.546.2457 | abmorders@accentwire.com
CYPRESS, CA | 877.530.1911 | abmordersca@accentwire.com

ACCENTBUILD.COM

GENERAL CONSTRUCTION

APPLICATIONS



GENERAL CONSTRUCTION



DRYWALL



ROOFING



SPECIALTY

FINISHES



BRIGHT



EG/HG



PHOSPHATE



Common Nails

- › For heavy-duty general construction, including carpentry and framing projects
- › Diamond point is easy to start, smooth shank drives fast
- › Larger shank provides more strength and resistance to bending
- › Flat head sits flush against surface

BRIGHT

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
3D	1-1/4"	14	7/32"	Smooth	108	111-032	111-031	111-033	111-034	111-030
6D	2"	11	17/64"	Smooth	167	111-062	111-061	111-063	111-064	111-060
8D	2-1/2"	10	9/32"	Smooth	101	111-082	111-081	111-083	111-084	111-080
10D	3"	9	5/16"	Smooth	66	111-102	111-101	111-103	111-104	111-100
12D	3-1/4"	9	5/16"	Smooth	61	111-122	111-121	111-123	111-124	111-120
16D	3-1/2"	8	11/32"	Smooth	47	111-162	111-161	111-163	111-164	111-160
20D	4"	6	13/32"	Smooth	29	111-202	111-201	111-203	111-204	111-200
60D	6"	4	17/32"	Smooth	10	111-602	111-601	111-603	111-604	111-600

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
6D	2"	11	17/64"	Smooth	167	112-062	112-061	112-063	112-064	112-060

HOT DIP GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
8D	2-1/2"	10	9/32"	Smooth	101	114-082	114-081	114-083	114-084	114-080
16D	3-1/2"	8	11/32"	Smooth	47	114-162	114-161	114-163	114-164	114-160
20D	4"	6	13/32"	Smooth	29	114-202	114-201	114-203	114-204	114-200
40D	5"	4	15/32"	Smooth	17	114-402	114-401	114-403	114-404	114-400
60D	6"	4	17/32"	Smooth	10	114-602	114-601	114-603	114-604	114-600

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL PRODUCTS

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Green Vinyl Common Nails

- › Flat countersunk head with smooth shank and diamond point
- › VC coated for lubrication when driving and firmer holding power

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
8D	2-1/2"	10	9/32"	Smooth	101	115-082	115-081	115-083	115-084	115-080
16D	2"	8	11/32"	Smooth	47	115-162	115-161	115-163	115-164	115-160



Green Vinyl Sinkers

- › Flat, countersunk head and diamond point
- › VC coated for lubrication when driving and firmer holding power in framing
- › Thinner, smooth shank reduces splitting
- › Checkered head to reduce hammer slipping

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
6D	1-3/8"	13	13/64"	Smooth	293	154-062	154-061	154-063	154-064	154-060
8D	2-3/8"	11.5	17/64"	Smooth	153	154-082	154-081	154-083	154-084	154-080
12D	3-1/4"	9	11/32"	Smooth	64	154-122	154-121	154-123	154-124	154-120
16D	3-1/4"	9	11/32"	Smooth	64	154-162	154-161	154-163	154-164	154-160
20D	3-3/4"	9	3/8"	Smooth	40	154-202	154-201	154-203	154-204	154-200



Box Nails

- › For light-duty construction, carpentry, making boxes and crates
- › Flat head sits flush against surface
- › Thinner, smooth shank and sharp, diamond point reduces splitting, especially in pine and Douglas fir
- › Smaller shank and head than common nails of the same length

BRIGHT										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
6D	2"	12.5	17/64"	Smooth	236	121-062	121-061	121-063	121-064	121-060
8D	2-1/2"	11.5	9/32"	Smooth	145	121-082	121-081	121-083	121-084	121-080
10D	3"	10.5	5/16"	Smooth	94	121-103	121-101	121-103	121-104	121-100
16D	3-1/2"	10	11/32"	Smooth	71	121-162	121-161	121-163	121-164	121-160
20D	4"	9	3/8"	Smooth	52	121-202	121-201	121-203	121-204	121-200



Box Nails

- › For light-duty construction, carpentry, making boxes and crates
- › Flat head sits flush against surface
- › Thinner, smooth shank and sharp, diamond point reduces splitting, especially in pine and Douglas fir
- › Smaller shank and head than common nails of the same length

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
3D	1-1/4"	14	7/32"	Smooth	635	122-032	122-031	122-033	122-034	122-030
4D	1-1/2"	14	7/32"	Smooth	473	122-042	122-041	122-043	122-044	122-040
5D	1-3/4"	14	7/32"	Smooth	406	122-052	122-051	122-053	122-054	122-050
6D	2"	12.5	17/64"	Smooth	236	122-062	122-061	122-063	122-064	122-060
7D	2-1/4"	12.5	17/64"	Smooth	210	122-072	122-071	122-073	122-074	122-070
8D	2-1/2"	11.5	9/32"	Smooth	145	122-082	122-081	122-083	122-084	122-080
10D	3"	10.5	5/16"	Smooth	94	122-102	122-101	122-103	122-104	122-100
12D	3-1/4"	10.5	5/16"	Smooth	88	122-122	122-121	122-123	122-124	122-120
16D	3-1/2"	10	11/32"	Smooth	71	122-162	122-161	122-163	122-164	122-160
20D	4"	9	3/8"	Smooth	52	122-202	122-201	122-203	122-204	122-200

HOT DIP GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
6D	2"	12.5	17/64"	Smooth	236	124-062	124-061	124-063	124-064	124-060
7D	2-1/4"	12.5	17/64"	Smooth	210	124-072	124-071	124-073	124-074	124-070
8D	2-1/2"	11.5	9/32"	Smooth	145	124-082	124-081	124-083	124-084	124-080
10D	3"	10.5	5/16"	Smooth	94	124-102	124-101	124-103	124-104	124-100
12D	3-1/4"	10.5	5/16"	Smooth	88	124-122	124-121	124-123	124-124	124-120
16D	3-1/2"	10	11/32"	Smooth	71	124-162	124-161	124-163	124-164	124-160
20D	4"	10	3/8"	Smooth	52	124-202	124-201	124-203	124-204	124-200



Joist Hanger Nails (Truss)

- › For attaching truss plates to wood ledges, headers and beams when building roof trusses
- › Flat head with barbed shank and diamond point
- › Heavy gauge allows more surface contact and greater holding power

BRIGHT										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	1-1/4"	11	9/32"	Smooth	149	158-062	158-061	158-063	158-064	158-060
-	1-1/2"	9	5/16"	Smooth	125	158-082	158-081	158-083	158-084	158-080
-	1-1/2"	10.25	9/32"	Smooth	125	158-092	158-091	158-093	158-094	158-090
-	2-1/2"	8	11/32"	Smooth	620	158-072	158-071	158-073	158-074	158-070

ELECTRO-GALVANIZED										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	1-1/2"	9	5/16"	Smooth	125	158-282	158-281	158-283	158-284	158-280

HOT DIP GALVANIZED										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	1-1/2"	9	5/16"	Smooth	125	158-482	158-481	158-483	158-484	158-480
-	1-1/2"	10.25	9/32"	Smooth	165	158-492	158-491	158-493	158-494	158-490



Duplex Nails

- › For concrete forms, scaffolds, framework and other temporary structures
- › Double head and smooth, diamond point, uncoated shank allows for easy removal from temporary structures

BRIGHT										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
6D	1-3/4"	11.5	3/16"	Smooth	156	131-062	131-061	131-063	131-064	131-060
8D	2-1/4"	10.25	15/64"	Smooth	90	131-082	131-081	131-083	131-084	131-080
16D	3"	8	9/32"	Smooth	45	131-162	131-161	131-163	131-164	131-160
20D	3-1/2"	6	5/16"	Smooth	28	131-202	131-201	131-203	131-204	131-200



Finish Nails

- › For attaching trim and moulding
- › Small gauge and cupped head for ease of concealment
- › Diamond point

BRIGHT										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
3D	1-1/4"	15.5	.099"	Smooth	880	141-032	141-031	141-033	141-034	141-030
4D	1-1/2"	15	.106"	Smooth	630	141-042	141-041	141-043	141-044	141-040
6D	2"	13	.135"	Smooth	288	141-062	141-061	141-063	141-064	141-060
8D	2-1/2"	12.5	.142"	Smooth	196	141-082	141-081	141-083	141-084	141-080



Pole Barn Nails - Ring Shank T.H.S.

- › For attaching wall framing lumber to pole barn posts and other heavy-duty applications
- › Flat head with ring shank and diamond point
- › High carbon steel for a harder, less brittle nail

BRIGHT										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
40D	5"	7	3/8"	Ring	28	157-402	157-401	157-403	157-404	157-400
60D	6"	5	15/32	Ring	17	-	-	-	-	157-600



Fluted Masonry Nails

- › For attaching lumber and wood floor plates to fresh concrete and masonry
- › Flat head sits flush against surface with fluted shank and diamond point
- › Tempered hardened steel for a harder, less brittle nail
- › Flutes help to minimize cracking and allow debris to surface

BRIGHT										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	1/2"	9	5/16"	Fluted	127	163-012	163-011	163-013	163-014	163-010
-	1"	9	5/16"	Fluted	170	163-042	163-041	163-043	163-044	163-040
-	1-1/4"	9	5/16"	Fluted	153	163-062	163-061	163-063	163-064	163-060
-	1-1/2"	9	5/16"	Fluted	130	163-082	163-081	163-083	163-084	163-080
-	2"	9	5/16"	Fluted	98	163-122	163-121	163-123	163-124	163-120
-	2-1/2"	9	5/16"	Fluted	76	163-142	163-141	163-143	163-144	163-140
-	3"	9	5/16"	Fluted	67	163-182	163-181	163-183	163-184	163-180



Fluted Masonry Nails w/ Metal Round Caps

- › For attaching wood furring strips, studs, or floor plates to fresh concrete
- › Flat head sits flush against surface with fluted shank and diamond point
- › Tempered hardened steel for harder, less brittle nail
- › Flutes help to minimize cracking and allow debris to surface

BRIGHT										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	3LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	3/4"	8	1"	Fluted	133	-	-	300-040	-	-
-	7/8"	8	1"	Fluted	117	-	300-061	300-060	-	-
-	1"	8	1"	Fluted	104	-	-	300-080	-	-
-	1-1/4"	8	1"	Fluted	83	-	-	300-100	-	-
-	1-1/2"	8	1"	Fluted	70	-	-	300-120	-	-
-	2"	8	1"	Fluted	52	-	-	300-140	-	-



Cut Masonry Nails

- › For attaching wood and furring strips to cinder blocks, mortar joints, masonry and fresh concrete
- › Flat, rectangular head
- › Tempered hardened steel for a harder, less brittle nail
- › Blunt point and tapered shank minimizes splitting in wood

BRIGHT

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
8D	2-1/2"	-	-	Smooth	64	160-082	160-081	160-083	160-084	160-080



PTL Deck Nails

- › For use with pressure treated lumber in construction of decks, patios and docks
- › Flat head sits flush against surface with a diamond point
- › Ring shank for use in softer woods and where vibration may be a factor
- › Passed through a hot galvanized line for a superior galvanized finish

HOT DIP GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
8D	2-1/2"	11	9/32"	Ring	111	161-082	161-081	161-083	161-084	161-080
10D	3"	10	19/64"	Ring	75	161-102	161-101	161-103	161-104	161-100
16D	3-1/2"	9	5/16"	Ring	54	161-162	161-161	161-163	161-164	161-160
60D	6"	5	15/32"	Ring	18	-	-	-	-	161-600

APPLICATIONS

- GENERAL CONSTRUCTION
- DRYWALL
- ROOFING
- SPECIALTY

FINISHES

- BRIGHT
-
- EG/HG
- PHOSPHATE



Drywall Nails

- › For attaching drywall to wood studs
- › Thin, cupped, broad head sits flush against surface with smooth shank
- › Long diamond point reduces tearing of drywall paper
- › Phosphate coated to drive easily and not react with drywall compound

PHOSPHATE										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	1-3/8"	12.5	11/32"	Smooth	328	171-022	171-021	171-023	171-024	171-020
-	1-5/8"	12.5	5/16"	Smooth	295	171-132	171-131	171-133	171-134	171-130
-	1-7/8"	12.5	5/16"	Smooth	279	171-152	171-151	171-153	171-154	171-150

ROOFING NAILS

APPLICATIONS



FINISHES



Roofing Nails

- › For attaching asphalt shingles, roofing felt, and insulation board
- › Large, flat head with smooth shank and diamond point
- › Electro-galvanized Roofing Nails may also be used for hanging vinyl siding and is weather resistant.

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	7/8"	11	7/16"	Smooth	300	211-062	211-061	211-063	211-064	211-060
-	1"	11	7/16"	Smooth	261	211-082	211-081	211-083	211-084	211-080
-	1-1/4"	11	7/16"	Smooth	209	211-102	211-101	211-103	211-104	211-100
-	1-1/2"	11	7/16"	Smooth	194	211-122	211-121	211-123	211-124	211-120
-	1-3/4"	11	7/16"	Smooth	155	211-142	211-141	211-143	211-144	211-140
-	2"	11	7/16"	Smooth	136	211-162	211-161	211-163	211-164	211-160
-	2-1/2"	11	7/16"	Smooth	109	211-182	211-181	211-183	211-184	211-180
-	3"	11	7/16"	Smooth	92	211-202	211-201	211-203	211-204	211-200
-	3-1/2"	11	7/16"	Smooth	89	211-222	211-221	211-223	211-224	211-220
-	4"	11	7/16"	Smooth	73	211-402	211-401	211-403	211-404	211-400
-	5"	11	7/16"	Smooth	55	211-502	211-501	211-503	211-504	211-500



Nails with Neoprene Washer

- › For attaching corrugated metal and fiberglass roofing panels
- › Ring shank for greater holding power with diamond point
- › Neoprene-bonded washer underneath nail head creates a seal against the surface and prevents moisture from entering the hole

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	1-3/4"	10	3/8"	Ring	102	-	227-041	-	-	-

AILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Round Metal Cap Nails

- › For attaching felt paper, synthetic underlayment, housewrap, and insulation foam board, built-up and modified roofing
- › Oversized head, ring shank with round metal cap that helps to reduce pull-through and tears in building materials
- › Diamond point
- › Electro-galvanized or hot dip galvanized to resist weathering

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	3/4"	11	1"	Ring	90	-	223-034	-	-	223-030
-	7/8"	11	1"	Ring	88	223-041	-	223-043	-	223-040
-	1"	11	1"	Ring	85	223-061	-	223-063	-	223-060
-	1-1/4"	11	1"	Ring	81	223-081	223-084	223-083	-	223-080
-	1-1/2"	11	1"	Ring	77	223-086	223-054	223-053	-	223-050
-	1-3/4"	11	1"	Ring	67	-	223-074	-	-	223-070
-	2"	11	1"	Ring	63	-	223-104	-	-	223-100
-	2-1/2"	11	1"	Ring	57	-	-	-	-	223-090
-	4"	8	1"	Ring	46	-	-	-	-	223-120



Plastic Cap Nails

- › For attaching felt paper, synthetic underlayment, housewrap, and insulation foam board to buildings
- › Ring shank with round plastic cap that helps to reduce pull-through and tears in building materials
- › Designed to distribute maximum holding power to the perimeter of the cap
- › Electro-galvanized to resist weathering

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	2M BOX	2M BUCKET	3M BUCKET
-	3/4"	12	1"	Ring	305	-	220-020	220-022	-
-	7/8"	12	1"	Ring	275	221-045	221-040	-	221-042
-	1"	12	1"	Ring	250	221-065	221-060	-	221-062
-	1-1/4"	12	1"	Ring	212	221-085	221-080	-	221-082
-	1-1/2"	12	1"	Ring	205	221-103	221-100	221-101	-
-	1-3/4"	12	1"	Ring	200	221-123	221-120	221-121	-
-	2"	12	1"	Ring	190	221-143	221-140	221-141	-



Square Metal Ring Shank Cap Nails

- › For attaching housewrap, sheathing, and roofing felt
- › Wide head and ring shank for superior holding power
- › Diamond point
- › Electro-galvanized to resist weathering

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	7/8"	11	1"	Ring	88	-	-	-	-	221-140
-	1"	11	1"	Ring	85	-	-	-	-	225-050
-	1-1/4"	11	1"	Ring	81	-	-	-	-	225-060
-	1-1/2"	11	1"	Ring	77	-	-	-	-	225-070
-	1-3/4"	11	1"	Ring	67	-	-	-	-	225-080
-	2"	11	1"	Ring	63	-	-	-	-	225-090
-	3"	11	1"	Ring	55	-	-	-	-	225-110
-	4"	8	1"	Ring	46	-	-	225-233	-	-
-	4-1/2"	8	1"	Ring	43	-	-	225-333	-	-



Tin Caps

- › Used with fasteners for increased bearing surface with materials like felt paper or other insulation products

LENGTH	50LB BOX
2"	228-080



Tile Nails
› For use with roofing tiles

ELECTRO-GALVANIZED										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	4"	9	15/32"	Smooth	50	-	232-051	-	-	232-050
-	5"	9	15/32"	Smooth	38	-	232-071	-	-	232-070
-	5-1/2"	9	15/32"	Smooth	35	-	232-081	-	-	232-080
-	6"	9	15/32"	Smooth	32	-	232-101	-	-	232-100
-	7"	9	15/32"	Smooth	30	-	-	-	-	232-120

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL PRODUCTS

SPECIALTY NAILS

APPLICATIONS



GENERAL CONSTRUCTION



DRYWALL



ROOFING



SPECIALTY

FINISHES



BRIGHT



EG/HG



PHOSPHATE



Timber Ties

- › For use with ACQ lumber, securing timber and other similar landscaping materials
- › Flat head sits flush against surface with diamond point
- › Passed through a hot galvanizing line for a superior galvanized finish

HOT DIP GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
60D	6"	-	1/2"	Spiral	300	-	-	-	167-210	-



Stub Nails

- › For attaching electrical fixtures and conduits, metal lath and other fixtures to non-load bearing concrete
- › Large flat head with smooth shank
- › Tempered hardened steel for a harder, less brittle nail

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	1/2"	9	3/8"	Smooth	275	151-042	151-041	151-043	151-044	151-040
-	3/4"	9	3/8"	Smooth	210	151-062	151-061	151-063	151-064	151-060



Electro-Galvanized Tension Pins

- › Temper-hardened steel tension fasteners used to attach furring strips, clips and hangers to masonry

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
-	1-1/8"	14	3/8"	Smooth	610	-	-	-	-	153-100

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL PRODUCTS

SPECIALTY NAILS

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Fine Nails

› For use in shake shingles and Chamfer

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
3D	-	15.5	11/64"	Smooth	783	153-902	153-901	153-903	153-904	153-900



Surveyor Nails

› For marking and locating points on the ground quickly and with minimum hassle

ELECTRO-GALVANIZED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
60D	6"	3	1/4"	Smooth	10	-	-	-	-	117-600



Lath Nails

› For attaching lathing material
› The nail is heat sterilized to create a blue oxide film resistant to corrosion
› Flat head diamond point nails for use with chamfer strip
› Small diameter avoids material splitting

BLUED

SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	1LB BOX	5LB BOX	25LB PAIL	30LB PAIL	50LB BOX
3D	1-1/8"	16	11/64"	Smooth	984	170-032	170-031	-	-	170-030

SPECIALTY NAILS



Furring Nails

- › For attaching wire mesh to exterior stucco walls
- › Flat head with smooth shank and diamond point

ELECTRO-GALVANIZED										
SIZE	LENGTH	GAUGE	HEAD DIA	SHANK	APPROX. COUNT/LB	2M BOX	3LB BOX	5M BUCKET	30LB PAIL	50LB BOX
-	1-1/2"	11	3/8"	Smooth no Wad	465	-	331-171	-	-	331-175
-	1-1/2"	11	3/8"	Smooth with Wad	465	-	331-181	331-185	-	-
-	1-3/4"	11	3/8"	Smooth with Wad	402	-	331-161	331-165	-	-
-	2-1/2"	11	3/8"	Smooth with Wad	301	-	-	331-250	-	-

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL PRODUCTS

STRIKER[®]

BUILD STRONGER WITH STRIKER

COLLATED


MULTI-PURPOSE



PLACE YOUR ORDER TODAY

TOMBALL, TX | 877.546.2457 | abmorders@accentwire.com
CYPRESS, CA | 877.530.1911 | abmordersca@accentwire.com

ACCENTBUILD.COM



Headless Pins

› Applications include interior light trim work, beading where no entry hole is preferred

23 GA HEADLESS PINS				
GAUGE	NAIL LENGTH	FINISH	CARTON COUNT	SKU
23	3/8"	Electro-Galvanized	2M	705-112
23	5/8"	Electro-Galvanized	2M	705-122
23	3/4"	Electro-Galvanized	2M	705-132
23	7/8"	Electro-Galvanized	2M	705-142
23	1"	Electro-Galvanized	2M	705-152
23	1-1/8"	Electro-Galvanized	2M	705-162
23	1-1/4"	Electro-Galvanized	2M	705-172
23	1-3/8"	Electro-Galvanized	2M	705-182
23	1-1/2"	Electro-Galvanized	2M	705-192



Brad Nails

› Applications include interior light trim work, beading

18 GA BRAD NAILS				
GAUGE	NAIL LENGTH	FINISH	CARTON COUNT	SKU
18	5/8"	Electro-Galvanized	5M	900-300
18	3/4"	Electro-Galvanized	5M	900-305
18	1"	Electro-Galvanized	5M	900-310
18	1-3/16"	Electro-Galvanized	5M	900-320
18	1-1/4"	Electro-Galvanized	5M	900-322
18	1-1/2"	Electro-Galvanized	5M	900-330
18	1-3/4"	Electro-Galvanized	5M	900-335
18	2"	Electro-Galvanized	5M	900-340

16 GA BRAD NAILS				
GAUGE	NAIL LENGTH	FINISH	CARTON COUNT	SKU
16	3/4"	Electro-Galvanized	2.5M	900-405
16	7/8"	Electro-Galvanized	2.5M	900-407
16	1"	Electro-Galvanized	2.5M	900-410
16	1-1/4"	Electro-Galvanized	2.5M	900-440
16	1-1/2"	Electro-Galvanized	2.5M	900-400
16	1-3/4"	Electro-Galvanized	2.5M	900-415
16	2"	Electro-Galvanized	2.5M	900-420
16	2-1/4"	Electro-Galvanized	2.5M	900-425
16	2-1/2"	Electro-Galvanized	2.5M	900-430

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Finish Nails

› Applications shelving, baseboard & window trim

15 GA FINISH NAILS - ANGLED				
Gauge	Nail Length	Finish	Carton Count	SKU
15	1-1/4"	Electro-Galvanized	4M	900-100
15	1-1/2"	Electro-Galvanized	4M	900-110
15	1-3/4"	Electro-Galvanized	4M	900-150
15	2"	Electro-Galvanized	4M	900-120
15	2-1/4"	Electro-Galvanized	4M	900-125
15	2-1/2"	Electro-Galvanized	4M	900-130



15° Coil Roofing Nails

- › For use with pneumatic roofing guns to attach asphalt shingles, roofing felt paper, and insulation foam board
- › Large flat head with smooth shank and diamond point
- › Galvanized to resist weathering

ELECTRO-GALVANIZED

GAUGE	NAIL LENGTH	SHANK	CARTON COUNT	SKU
11	3/4"	Smooth	7.2M	212-009
11	7/8"	Smooth	7.2M	212-010
11	1"	Smooth	7.2M	212-020
11	1-1/4"	Smooth	7.2M	212-040
11	1-1/2"	Smooth	7.2M	212-060
11	1-3/4"	Smooth	7.2M	212-080

HOT DIP GALVANIZED

GAUGE	NAIL LENGTH	SHANK	CARTON COUNT	SKU
11	3/4"	Smooth	7.2M	213-091
11	7/8"	Smooth	7.2M	213-101
11	1"	Smooth	7.2M	213-021
11	1-1/4"	Smooth	7.2M	213-041
11	1-1/2"	Smooth	7.2M	213-061
11	1-3/4"	Smooth	7.2M	213-081
11	1-1/4"	Ring	7.2M	213-040
11	1-1/2"	Ring	7.2M	213-060



15° Wire Weld Collated Siding Nails

- › Used for working with siding, cedar shingles, roof and wall sheathing, and wood fencing
- › Galvanized steel provides strength and durability
- › Designed for indoor or outdoor use

HOT DIP GALVANIZED

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.093	1-1/4"	Ring	3.6M	164-060
.093	1-1/2"	Ring	3M	164-015
.080	1-3/4"	Ring	3M	164-075
.092	1-3/4"	Ring	3M	164-100
.093	1-3/4"	Ring	3M	164-115
.093	2"	Ring	3.6M	164-210
.093	2-3/16"	Ring	3.6M	164-425
.093	2-1/4"	Ring	3.6M	164-380
.092	2-1/2"	Ring	3M	166-140
.093	2-1/2"	Ring	3.6M	164-265
.131	2-1/2"	Ring	2.5M	164-300
.092	2"	Smooth	3M	164-205
.092	2"	Smooth	3.6M	164-206

STAINLESS STEEL

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.093	1-1/4"	Ring	3.6M	164-070
.092	1-3/4"	Ring	3.6M	164-125
.093	2"	Ring	3.6M	164-215
.093	2"	Ring	3.6M	164-220
.093	2-1/4"	Ring	3.6M	164-385
.093	2-1/2"	Ring	3.6M	164-275

BRIGHT

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.099	2"	Blunt Diamond Point Screw	9M	164-235
.099	2-1/4"	Blunt Diamond Point Screw	9M	164-395



21° Plastic Strip Collated Nails

› Used in most wood applications to provide efficient operation and excellent holding power

ELECTRO-GALVANIZED

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.131	2-3/8"	Smooth	5M, Import	229-021
.131	2-1/2"	Smooth	5M, Import	700-136
.120	3"	Smooth	4M, Import	700-291
.131	3-1/4"	Smooth	4M, Import	700-461

BRIGHT

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.131	2-3/8"	Ring	5M, Domestic	229-030
.113	2-3/8"	Ring	5M, Import	229-031
.113	2-3/8"	Smooth	5M, Domestic	229-010
.131	2-3/8"	Smooth	5M, Import	229-011
.131	2-3/8"	Screw	5M, Import	229-581
.131	2-1/2"	Smooth	5M, Domestic	700-120
.131	2-1/2"	Smooth	5M, Import	700-121
.120	3"	Smooth	4M, Import	700-251
.131	3"	Smooth	4M, Import	700-701
.148	3"	Smooth	4M, Domestic	700-300
.148	3"	Smooth	4M, Import	700-301
.148	3"	Ring	4M, Domestic	700-320
.148	3"	Ring	4M, Import	700-321
.131	3-1/4"	Screw	4M, Import	700-441
.131	3-1/4"	Smooth	4M, Domestic	700-450
.131	3-1/4"	Smooth	4M, Import	700-451
.148	3-1/4"	Ring	3M, Domestic	700-370
.148	3-1/4"	Smooth	3M, Domestic	700-350
.148	3-1/4"	Smooth	3M, Import	700-351



21° Plastic Strip Collated Nails

› Used in most wood applications to provide efficient operation and excellent holding power

BRIGHT

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.162	3-1/4"	Smooth	3M, Domestic	700-790
.162	3-1/2"	Smooth	3M, Domestic	700-480
.162	3-1/2"	Smooth	3M, Import	700-481

HOT DIP GALVANIZED

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.131	2"	Ring	5M, Import	229-531
.131	2"	Ring	6M, Domestic	229-615
.131	2"	Smooth	6M, Domestic	229-640
.131	2-3/8"	Ring	5M, Domestic	229-045
.131	2-3/8"	Ring	5M, Import	229-046
.131	2-3/8"	Smooth	5M, Domestic	229-060
.113	2-3/8"	Smooth	5M, Import	229-061
.131	2-1/2"	Smooth	5M, Domestic	700-125
.131	2-1/2"	Smooth	5M, Import	700-126
.120	3"	Ring	4M, Import	700-181
.131	3"	Ring	4M, Import	700-381
.131	3"	Smooth	4M, Import	700-731
.148	3"	Smooth	4M, Domestic	700-310
.120	3-1/4"	Screw	4M, Import	700-411
.131	3-1/4"	Smooth	4M, Domestic	700-465
.131	3-1/4"	Smooth	4M, Import	700-466
.148	3-1/4"	Smooth	3M, Domestic	700-360
.162	3-1/4"	Smooth	3M, Domestic	700-795
.162	3-1/2"	Smooth	3M, Domestic	700-485



21° Plywood Nails

› Used for underlayment, sheathing, and sub-floor applications

BRIGHT				
DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.148	2-1/8"	Smooth	4M, Domestic	700-505
.148	2-1/8"	Smooth	4M, Import	700-506
.148	2-1/4"	Smooth	4M, Domestic	700-510
.148	2-1/4"	Smooth	4M, Import	700-511
.148	2-1/4"	Screw	4M, Domestic	700-515
.148	2-3/8"	Smooth	4M, Domestic	700-500
.148	2-3/8"	Smooth	4M, Import	700-501
.148	2-3/8"	Ring	4M, Domestic	700-600
.148	2-3/8"	Ring	4M, Import	700-601
.148	2-3/8"	Screw	4M, Domestic	700-650

HOT DIP GALVANIZED				
DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.148	2-1/4"	Smooth	4M, Domestic	700-520
.148	2-1/4"	Smooth	4M, Import	700-521
.148	2-1/4"	Screw	4M, Domestic	700-525
.148	2-3/8"	Smooth	4M, Domestic	700-660
.148	2-3/8"	Smooth	4M, Import	700-661
.148	2-3/8"	Ring	4M, Domestic	700-670
.148	2-3/8"	Ring	4M, Import	700-671



21° Framing Nails

- › Used for a wide range of applications including framing, sheathing, decking, sub-flooring, and pallet assembly
- › Designed for environments that require corrosion-resistant fasteners

BRIGHT				
Diameter	Nail Length	Shank	Carton Count	SKU
.131	3"	Smooth	4M, Domestic	700-700
.131	3"	Screw	4M, Domestic	700-750
.131	3"	Ring	4M, Domestic	700-770
.131	3"	Ring	4M, Import	700-771

HOT DIP GALVANIZED				
Diameter	Nail Length	Shank	Carton Count	SKU
.131	3"	Smooth	4M, Domestic	700-730

ELECTRO-GALVANIZED				
Diameter	Nail Length	Shank	Carton Count	SKU
.131	3"	Smooth	4M, Import	700-781



21° Paper Tape Joist Hanger Nails

› Used for various types of pre-punched hole metal connectors to wood

BRIGHT

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.148	1-1/2"	Smooth	5M, Domestic	700-530
.148	1-1/2"	Smooth	5M, Import	700-531



33° Paper Tape Collated Nails

› Clipped head nails feature an annular ring-shank for increased withdrawal resistance and a secure attachment
› These nails are compatible with many major manufacturers' pneumatic tool

BRIGHT

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.113	2-3/8"	Smooth	2.5M	33CH-8D 2.5M
.113	2-3/8"	Ring	5M	33CH-8DR 5M
.120	3"	Smooth	2.5M	33CH-10D 2.5M
.131	3"	Smooth	2.5M	33CH-10D131 2.5M

HOT DIP GALVANIZED

DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.113	2-3/8"	Ring	2.5M	33CH-8DHGR 2.5M
.120	3"	Ring	2M	33CH-10HGR 2M



33° Paper Tape Joist Hanger Nails

› Also known as Metal Connector Nails are used in the hanging of Metal Hangers, seismic and hurricane ties, anchors and connector straps

BRIGHT				
DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.131	1-1/2"	Smooth	4M, Domestic	700-800
.131	1-1/2"	Smooth	4M, Import	700-801
.148	1-1/2"	Smooth	3M, Domestic	700-820
.131	2-1/2"	Smooth	2.5M, Domestic	700-840
.131	2-1/2"	Smooth	2.5M, Import	700-841
.148	1-1/2"	Smooth	3M, Import	700-821
.148	2-1/2"	Smooth	2.5M, Domestic	700-860
.148	2-1/2"	Smooth	2.5M, Import	700-861
.162	2-1/2"	Smooth	2M, Domestic	700-880
.162	2-1/2"	Smooth	2M, Import	700-881

HOT DIP GALVANIZED				
DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.131	1-1/2"	Smooth	4M, Domestic	700-810
.131	1-1/2"	Smooth	4M, Import	700-811
.148	1-1/2"	Smooth	3M, Import	700-831
.148	1-1/2"	Smooth	3M, Domestic	700-830
.131	2-1/2"	Smooth	2.5M, Domestic	700-850
.148	2-1/2"	Smooth	2.5M, Domestic	700-870
.148	2-1/2"	Smooth	2.5M, Import	700-871
.162	2-1/2"	Smooth	2M, Domestic	700-890
.162	2-1/2"	Smooth	2M, Import	700-891

ELECTRO-GALVANIZED				
DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.131	1-1/2"	Smooth	4M, Import	700-901



0° Plastic Insert

- › Used for steel construction
- › Plastic collation material is strong, flexible and weather-resistant to help prevent breakage in extreme conditions

HOT DIP GALVANIZED				
DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.092	1-7/8"	Smooth	9M	OPI-178092HD 9M
.092	2-1/4"	Smooth	7.2M	OPI-214099HD 7.2M
.092	2-1/4"	Ring	7.2M	OPI-214099HDR 7.2M

ELECTRO-GALVANIZED				
DIAMETER	NAIL LENGTH	SHANK	CARTON COUNT	SKU
.092	1-7/8"	Smooth	9M	OPI-178092EG 9M
.092	2-1/4"	Smooth	7.2M	OPI-214099EG 7.2M
.092	2-1/4"	Ring	7.2M	OPI-214099EGR 7.2M



Wide Crown Staples

› Applications include stucco net, lath, butt joints

SIMILAR TO PASLODE / "GSW" - STYLE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
16	5/8"	15/16"	10M	231-080
16	7/8"	15/16"	10M	231-101
16	1"	15/16"	10M	231-102
16	1-1/4"	15/16"	10M	231-103
16	1-1/2"	15/16"	10M	231-104
16	2"	15/16"	10M	231-106

SIMILAR TO SENCO, HITACHI / "P" - STYLE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
16	5/8"	1"	10M	231-158
16	3/4"	1"	10M	231-090
16	7/8"	1"	10M	231-120
16	1"	1"	10M	231-121
16	1-1/4"	1"	10M	231-124
16	1-1/2"	1"	10M	231-130
16	2"	1"	10M	231-135



Wide Crown Staples

› Applications include stucco net, lath, butt joints

SIMILAR TO BOSTITCH, SPOTNAILS / "BCS" - STYLE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
16	5/8"	1"	10M	231-113
16	7/8"	1"	10M	231-112
16	1"	1"	10M	231-114
16	1-1/4"	1"	10M	231-115
16	1-1/2"	1"	10M	231-116
16	1-3/4"	1"	10M	231-117
16	2"	1"	10M	231-118

SIMILAR TO SENCO / SIMILAR TO M STYLE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
18	1"	3/8"	5M	230-100



Medium Crown Staples

› Applications include sheathing, underlayment

SIMILAR TO SENCO / "N" - STYLE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
16	1"	7/16"	10M	231-153
16	1-1/2"	7/16"	10M	231-305
16	1-3/4"	7/16"	10M	231-154
16	2"	7/16"	10M	231-157
16, Stainless Steel	1-1/4"	7/16"	10M	231-155-SS
16, Stainless Steel	1-1/2"	7/16"	10M	231-305-SS
16, Stainless Steel	2"	7/16"	10M	231-157-SS



Medium Crown Staples

› Applications include sheathing, underlayment

SIMILAR TO PASLODE / "GS" - STYLE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
16	1-1/2"	1/2"	10M	231-109
16	1-3/4"	1/2"	10M	231-110
16, Stainless Steel	1-3/4"	1/2"	10M	231-110-SS
16, Stainless Steel	2"	1/2"	10M	231-100-SS



Narrow Crown Staples

› Applications include interior trim, soffits, corner bead

SIMILAR TO SENCO / "N" - STYLE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
16	1/2"	1/4"	10M	231-141
16	5/8"	1/4"	10M	231-142
16	7/8"	1/4"	10M	231-144
16	1"	1/4"	10M	231-146
16	1-1/8"	1/4"	10M	231-145
16	1-1/4"	1/4"	10M	231-147
16	1-1/2"	1/4"	10M	231-205



Hammer Tacker Staples

› Applications include building papers, synthetic underlayments

SIMILAR TO A11 STYLE, FINE WIRE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
20	3/8"	3/8"	5M	226-010
20	3/8"	1/2"	5M	226-012

SIMILAR TO A19 STYLE, FINE WIRE

GAUGE	LEG	CROWN	CARTON COUNT	SKU
23	1/4"	3/8"	5M	226-020



Hammer Tacker Tool

TYPE	SKU
R11 Hammer Tacker Tool	226-011
R19 Hammer Tacker Tool	226-019
85000 Hammer Tacker Tool	226-200



Narrow Crown Staples

› Applications include interior trim, soffits, corner bead

GAUGE	LEG	CROWN	QUANTITY PER BOX	SKU
18	3/8"	1/4"	1M	704-112
18	5/8"	1/4"	1M	704-122
18	3/4"	1/4"	1M	704-132
18	7/8"	1/4"	1M	704-142
18	1"	1/4"	1M	704-152
18	1-1/8"	1/4"	1M	704-162
18	1-1/4"	1/4"	1M	704-172
18	1-3/8"	1/4"	1M	704-182
18	1-1/2"	1/4"	1M	704-192
18, Stainless Steel	5/8"	1/4"	1M	704-123
18, Stainless Steel	1"	1/4"	1M	704-153
18, Stainless Steel	1-1/4"	1/4"	1M	704-173
18, Stainless Steel	1-1/2"	1/4"	1M	704-193



Brad Nails

› Applications include interior light trim work, beading

GAUGE	NAIL LENGTH	FINISH	COUNT PER BOX	SKU
18	5/8"	Electro-galvanized	1M	706-112
18	3/4"	Electro-galvanized	1M	706-122
18	7/8"	Electro-galvanized	1M	706-132
18	1"	Electro-galvanized	1M	706-142
18	1-1/8"	Electro-galvanized	1M	706-152
18	1-1/4"	Electro-galvanized	1M	706-162
18	1-1/2"	Electro-galvanized	1M	706-172
18	1-3/4"	Electro-galvanized	1M	706-182
18	2"	Electro-galvanized	1M	706-192
18	5/8"	Stainless Steel	1M	706-113
18	3/4"	Stainless Steel	1M	706-123
18	1"	Stainless Steel	1M	706-143
18	1-1/4"	Stainless Steel	1M	706-163
18	1-1/2"	Stainless Steel	1M	706-173
18	2"	Stainless Steel	1M	706-193

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Finish Nails

› Applications shelving, baseboard & window trim

STRAIGHT				
GAUGE	NAIL LENGTH	FINISH	COUNT PER BOX	SKU
16	3/4"	Electro-galvanized	1M	707-112
16	1"	Electro-galvanized	1M	707-122
16	1-1/4"	Electro-galvanized	1M	707-132
16	1-1/2"	Electro-galvanized	1M	707-142
16	1-3/4"	Electro-galvanized	1M	707-152
16	2"	Electro-galvanized	1M	707-162
16	2-1/4"	Electro-galvanized	1M	707-172
16	2-1/2"	Electro-galvanized	1M	707-192
16	1-1/4"	Electro-galvanized	1M	707-133
16	1-1/2"	Electro-galvanized	1M	707-143
16	2"	Electro-galvanized	1M	707-163
16	2-1/2"	Electro-galvanized	1M	707-193
16	1-1/2"	Stainless Steel	1M	164-700
16	2"	Stainless Steel	1M	164-705
16	2-1/2"	Stainless Steel	1M	164-710

ANGLED				
GAUGE	NAIL LENGTH	FINISH	COUNT PER BOX	SKU
15	1-1/4"	Electro-galvanized	1M	708-132
15	1-1/2"	Electro-galvanized	1M	708-142
15	1-3/4"	Electro-galvanized	1M	708-152
15	2"	Electro-galvanized	1M	708-162
15	2-1/4"	Electro-galvanized	1M	708-172
15	2-1/2"	Electro-galvanized	1M	708-192
15	1-1/2"	Stainless Steel	1M	708-143
15	2"	Stainless Steel	1M	708-163
15	2-1/2"	Stainless Steel	1M	708-193

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

STRIKER

BUILD STRONGER WITH STRIKER

SCREWS

COARSE THREAD • LIGHT GAUGE STEEL • SELF-DRILLING
ROOFING • CEMENT BOARD • DECKING



PLACE YOUR ORDER TODAY


TOMBALL, TX | 877.546.2457 | abmorders@accentwire.com
CYPRESS, CA | 877.530.1911 | abmordersca@accentwire.com

ACCENTBUILD.COM

COARSE THREAD DRYWALL SCREWS

BULK SCREW PACKAGING

- COARSE THREAD DRYWALL SCREWS
- LIGHT GAUGE STEEL SCREWS
- SELF-DRILLING SCREWS
- ROOFING / METAL BUILDING / SPECIALTY
- CEMENT BOARD
- ALL PURPOSE SCREWS
- EXTERIOR DECKING SCREWS




Drywall Screws - Coarse Thread

- › For attaching wood to wood, drywall to wood, and interior wooden deck
- › Original and primary application of drywall to wood studs
- › Also used in many interior wood and fixture fastening applications

PHOSPHATE COATED							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1" x 6	#2 Phillips	333	602-022	602-021	602-023	10M	602-020
1-1/8" x 6	#2 Phillips	306	602-042	602-041	602-043	10M	602-040
1-1/4" x 6	#2 Phillips	278	602-062	602-061	602-063	8M	602-060
1-5/8" x 6	#2 Phillips	217	602-102	602-101	602-103	5M	602-100
2" x 6	#2 Phillips	175	602-142	602-141	602-143	3.5M	602-140
2-1/2" x 8"	#2 Phillips	110	602-202	602-201	602-203	2.5M	602-200
3" x 8	#2 Phillips	90	602-222	602-221	602-223	2M	602-220
3-1/2" x 10	#2 Phillips	65	602-242	602-241	602-243	1M	602-240
4" x 10	#2 Phillips	50	602-252	602-251	602-253	.75M	602-250

COARSE THREAD DRYWALL SCREWS



Laminator Screws

- › Attaches drywall to drywall
- › A temporary fastener

PHOSPHATE COATED

SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/2" x 10	#2 Phillips	137	604-102	604-101		5M	604-100

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL


POLY

ADDITIONAL PRODUCTS

LIGHT GAUGE STEEL SCREWS

BULK SCREW PACKAGING

- COARSE THREAD DRYWALL SCREWS
- LIGHT GAUGE STEEL SCREWS
- SELF-DRILLING SCREWS
- ROOFING / METAL BUILDING / SPECIALTY
- CEMENT BOARD
- ALL PURPOSE SCREWS
- EXTERIOR DECKING SCREWS





Drywall Screws - Fine Thread


› For attaching drywall to metal (20-25 gauge) studs

› May also be used to attach particle board, plywood or other soft woods

› Also known as “all purpose” or “multi-purpose” screws

PHOSPHATE COATED							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1" x 6	#2 Phillips	333	601-042	601-041	601-043	10M	601-040
1-1/8" x 6	#2 Phillips	306	601-062	601-061	601-063	10M	601-060
1-1/4" x 6	#2 Phillips	278	601-082	601-081	601-083	8M	601-080
1-5/8" x 6	#2 Phillips	217	601-122	601-121	601-123	5M	601-120
2" x 6	#2 Phillips	175	601-142	601-141	601-143	3.5M	601-140
2-1/2" x 8	#2 Phillips	110	601-202	601-201	601-203	2.5M	601-200
3" x 8	#2 Phillips	90	601-222	601-221	601-223	2M	601-220
3-1/2" x 10	#2 Phillips	65	601-242	601-241	601-243	1M	601-240
4" x 10	#2 Phillips	50	601-252	601-251	601-253	.75M	601-250

LIGHT GAUGE STEEL SCREWS



Pan Framer Screws

› For attaching light gauge steel studs to track (up to 20 gauge)

PHOSPHATE COATED							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
7/16" x 7	#2 Phillips	378	608-042	608-041	608-043	10M	608-040

ZINC COATED							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
7/16" x 7	#2 Phillips	378	608-082	608-081	608-083	10M	608-080

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL PRODUCTS

LIGHT GAUGE STEEL SCREWS

REDUCED
PHILLIPS DRIVE



MODIFIED
TRUSS HEAD



FINE
THREAD



SHARP
POINT



Modified Truss Screws


› For attaching metal lath and stucco mesh to steel studs (20-25 gauge)

ZINC COATED							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1/2" x 8	#2 Phillips	282	616-022	616-021	616-023	10M	616-020
3/4" x 8	#2 Phillips	206	616-042	616-041	616-043	10M	616-040
1" x 8	#2 Phillips	181	616-082	616-081	616-083	6.5M	616-080
1-1/4" x 8	#2 Phillips	156	616-102	616-101	616-103	5M	616-100
1-7/8" x 8	#2 Phillips	113	616-112	616-111	616-113	2.5M	616-110
1-5/8" x 8	#2 Phillips	132	616-122	616-121	616-123	5M	616-120
2" x 8	#2 Phillips	107	616-132	616-131	616-133	2.5M	616-130
1-1/2" x 8	#2 Phillips	145	-	-	-	5M	616-135
2-1/2" x 8	#2 Phillips	91	616-142	616-141	616-143	2M	616-140
3" x 8	#2 Phillips	74	-	-	-	1.5M	616-160

SELF-DRILLING SCREWS

BULK SCREW PACKAGING

- COARSE THREAD DRYWALL SCREWS
- LIGHT GAUGE STEEL SCREWS
- SELF-DRILLING SCREWS
- ROOFING / METAL BUILDING / SPECIALTY
- CEMENT BOARD
- ALL PURPOSE SCREWS
- EXTERIOR DECKING SCREWS



Drywall Self Drilling Screws - Fine Thread

- › For attaching drywall to metal (14-20 gauge) studs
- › Also used to attach plywood particle board and metal lath to metal


PHOSPHATE COATED

SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 6	#2 Phillips	255	610-092	610-091	610-093	8M	610-090
1-5/8" x 6	#2 Phillips	201	610-132	610-131	610-133	5M	610-130
1-7/8" x 6	#2 Phillips	175	610-172	610-171	610-173	4M	610-170
2-3/8" x 8	#2 Phillips	109	610-332	610-331	610-333	2.5M	610-330

ZINC COATED

SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 6	#2 Phillips	255	610-082	610-081	610-083	8M	610-080
1-5/8" x 6	#2 Phillips	201	610-122	610-121	610-123	5M	610-120
1-7/8" x 6	#2 Phillips	178	610-162	610-161	610-163	4M	610-160
2-3/8" x 8	#2 Phillips	109	610-322	610-321	610-323	2.5M	610-320
2-5/8" x 8	#2 Phillips	98	610-352	610-351	610-353	1.6M	610-350
3" x 8	#2 Phillips	87	610-382	610-381	610-383	1.4M	610-380

SELF-DRILLING SCREWS




Modified Truss Self Drilling Screws - Fine Thread

- › For attaching metal lath to heavy (12-20 gauge) metal studs
- › Zinc plated

ZINC COATED							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1/2" x 8	#2 Phillips	254	613-022	613-021	613-023	10M	613-020
3/4" x 8	#2 Phillips	221	613-042	613-041	613-043	10M	613-040
1" x 8	#2 Phillips	164	613-082	613-081	613-083	8M	613-080
1-1/4" x 8	#2 Phillips	155	613-102	613-101	613-103	6M	613-100
1-5/8" x 8	#2 Phillips	132	613-112	613-111	613-113	4M	613-110
1-7/8" x 8	#2 Phillips	114	613-132	613-131	613-133	3M	613-130
2" x 8	#2 Phillips	103	613-142	613-141	613-143	3M	613-140
2-1/2" x 8	#2 Phillips	90	613-202	613-201	613-203	2M	613-200
3" x 8	#2 Phillips	77	613-222	613-221	613-223	1.5M	613-220
3/4" x 10	#2 Phillips	211	-	613-401	-	5M	613-405
1" x 10	#2 Phillips	154	613-412	613-411	613-413	5M	613-410
4" x 10	#2 Phillips	48	613-252	613-251	613-253	1M	613-250

BULK SCREW PACKAGING


- COARSE THREAD DRYWALL SCREWS
- LIGHT GAUGE STEEL SCREWS
- SELF-DRILLING SCREWS
- ROOFING / METAL BUILDING / SPECIALTY
- CEMENT BOARD
- ALL PURPOSE SCREWS
- EXTERIOR DECKING SCREWS



Hex-Head Screws with Neoprene Bonded Washer

- > Self Drilling - Zinc
- > For attaching metal roofing to steel

SIZE	BULK QTY	APPROX. COUNT PER BOX	DRIVE SIZE	SKU
10 x 3/4"	5M	38	5/16"	614-230
10 x 1"	5M	38	5/16"	614-210
10 x 1 1/2"	3M	30	5/16"	614-250
12 x 1"	3M	32	5/16"	614-320
12 x 1 1/4"	2M	29	5/16"	614-330
12 x 1 1/2"	2M	32	5/16"	614-340
14 x 1"	3M	44	3/8"	614-420
14 x 1 1/4"	2M	34	3/8"	614-430
14 x 1 1/2"	2M	40	3/8"	614-440
14 x 2"	1M	25	3/8"	614-450






Hex-Head Screws with Neoprene Bonded Washer

› Sharp point - Wood Tite
› For attaching metal roofing to wood

SIZE	APPROX. COUNT PER BOX	LBS. PER BOX	DRIVE SIZE	SKU
9 x 1"	2.5M	18	1/4"	614-600
9 x 1 1/2"	2.5M	24	1/4"	614-610
9 x 2"	2M	22	1/4"	614-620
9 x 2"	1M	21	1/4"	614-630






Hex-Head Screws with Neoprene Bonded Washer

› Type 17 point - Wood Fast, Hi-Lo Thread
› For attaching metal roofing to wood

SIZE	APPROX. COUNT PER BOX	LBS. PER BOX	DRIVE SIZE	SKU
10 x 1"	2.5M	19	5/16"	615-600
10 x 1 1/2"	2.5M	25	5/16"	615-610
10 x 2"	2M	23	5/16"	615-620
10 x 2 1/2"	1M	22	5/16"	615-630



Hex Washer Head Self Drilling Screws
- Fine Thread

- › For metal to metal applications for heavy gauge steel
- › Zinc plated

ZINC COATED

SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
3/4" x 10	-	166	-	615-301	-	5M	615-305



Hex Head Self Drilling Screws

- › For steel to steel, wood to steel and composite material to steel applications
- › Zinc plated

ZINC COATED

SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
3/4" x 10	5/16"	133	634-132	634-131	634-133	6M	634-130



U2 Fasteners - Vinyl Window Screws

- › An adjustable screw for vinyl window retro-fits over old aluminum window frames
- › Dome Head, White Powder coated with a rim to hold EPDM washer in place
- › Tek Point and Blade Cutting thread for easy piercing and alleviating strain on the material

VINYL COATED

SIZE X GAUGE	COUNT 50 PCS	COUNT 200 PCS	BULK 800 PCS
3-1/8" x 10	655-10X318H	655-10X318P	655-10X318B

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL PRODUCTS

BULK SCREW PACKAGING


- COARSE THREAD DRYWALL SCREWS
- LIGHT GAUGE STEEL SCREWS
- SELF-DRILLING SCREWS
- ROOFING / METAL BUILDING / SPECIALTY
- CEMENT BOARD
- ALL PURPOSE SCREWS
- EXTERIOR DECKING SCREWS



Cement Board Sharp Point Screws - Hi Lo Thread

- › For attaching cement board to wood or light gauge steel studs
- › Wafer head with nibs allow it to countersink into the board
- › The sharp point penetrates the board without splitting and hi-low threads ensure high withdrawal resistance

SIZE X GAUGE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 8	162	600-042	600-041	600-043	5M	600-045
1-5/8" x 8	130	600-032	600-031	600-033	5M	600-030




Cement Board Self Drilling Screws - with Nibs

- › For attaching cement board to steel studs
- › Wafer head with nibs allow it to countersink into the board and catch in the embedded mesh

SIZE X GAUGE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 8	162	600-062	600-061	600-063	4M	600-060
1-5/8" x 8	130	600-052	600-051	600-053	4M	600-054

BULK SCREW PACKAGING

- COARSE THREAD DRYWALL SCREWS
- LIGHT GAUGE STEEL SCREWS
- SELF-DRILLING SCREWS
- ROOFING / METAL BUILDING / SPECIALTY
- CEMENT BOARD
- ALL PURPOSE SCREWS
- EXTERIOR DECKING SCREWS



All Purpose Construction Screws


- › For attaching wood, plywood, lumber, OSB, particle board, and other building materials
- › Yellow zinc plated

YELLOW ZINC							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 6"	#2 Phillips	282	620-052	620-051	620-053	8M	620-050
1" x 6	#2 Phillips	339	620-032	620-031	620-033	10M	620-030
1-5/8" x 6	#2 Phillips	227	620-082	620-081	620-083	5M	620-080
2" x 6	#2 Phillips	195	620-112	620-111	620-113	3.5M	620-110
2-1/2" x 8	#2 Phillips	112	620-152	620-151	620-153	2.5M	620-150
3" x 8	#2 Phillips	95	620-182	620-181	620-183	2M	620-180
3-1/2" x 10	#2 Phillips	56	620-212	620-211	620-213	1M	620-210
4" x 10	#2 Phillips	50	620-242	620-241	620-243	.75M	620-240

EXTERIOR DECKING SCREWS

BULK SCREW PACKAGING

- COARSE THREAD DRYWALL SCREWS ○ LIGHT GAUGE STEEL SCREWS
● SELF-DRILLING SCREWS ● ROOFING / METAL BUILDING / SPECIALTY
● CEMENT BOARD ● ALL PURPOSE SCREWS ● EXTERIOR DECKING SCREWS






Deck Sharp Point Screws - Coarse Thread

- › Coarse Thread – Silver
- › For exterior use including decks, railings and other outdoor projects
- › Minimal rust
- › Corrosion resistant

SIZE X GAUGE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-5/8" x 8	130	622-142	622-141	622-143	5M	622-140
2" x 6	140	622-162	622-161	622-163	3.5M	622-160
2-1/2" x 8	103	622-182	622-181	622-183	2.5M	622-180
3" x 8	77	622-202	622-201	622-203	2M	622-200





Deck Type 17 Point Screws - Coarse Thread

- › Type 17 Point, Combo Drive
- › Long life ceramic coating and heavy gauge for tough jobs
- › Virtually eliminates need for pre-drilling
- › Counter-sunk head with nibs for a clean finish

SIZE X GAUGE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
2" x 8	140	622-322	622-321	622-323	3.5M	622-320
2-1/2" x 9	103	622-402	622-401	622-403	2.5M	622-400
3" x 9	77	622-412	622-411	622-413	2M	622-410
3-1/2" x 10	65	622-502	622-501	622-503	1M	622-500

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

EXTERIOR DECKING SCREWS






STRIKER Exterior Screws - Coarse Thread

- › Combo Drive, Bugle Head, Coarse Thread
- › For exterior use including decks, railings and other projects where rust resistance is important

SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-5/8" x 6	#2 Phillips	227	624-102	624-101	624-103	5M	624-100
2" x 6	#2 Phillips	195	624-122	624-121	624-123	3.5M	624-120
2-1/2" x 8	#2 Phillips	112	624-162	624-161	624-163	2.5M	624-160
3" x 8	#2 Phillips	95	624-202	624-201	624-203	2M	624-200






Case Hard Screws

- › For exterior use including decks, railings and other projects where rust resistance is important

ZINC COATED							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
2-1/2" x 8	Star	105	628-222	628-221	628-223	2.5M	628-220
3" x 8	Star	99	628-302	628-301	628-303	2M	628-300

EXTERIOR DECKING SCREWS



Premium Outdoor Star Screws - Type 17 Point, Coarse Thread

- › Dual Coarse Thread, Gold, Type 17 Point
- › 1000 Hour Long Life Ceramic Coating and heavy gauge for tough jobs
- › Dual thread design to greatly reduce splitting
- › Counter-sunk head with nibs for a clean finish

RED CERAMIC COATED							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 8	Star	198	680-702	680-701	680-703	5M	680-700
1-5/8" x 8	Star	130	680-722	680-721	680-723	4M	680-720
2" x 9	Star	103	680-742	680-741	680-743	3M	680-740
2-1/2" x 9	Star	77	680-762	680-761	680-763	2.5M	680-760
3" x 9	Star	65	680-782	680-781	680-783	2M	680-780
3-1/2" x 10	Star	54	680-802	680-801	680-803	1M	680-800
4" x 10	Star	47	680-822	680-821	680-823	1M	680-820
4-1/2" x 10	Star	43	680-842	680-841	680-843	1M	680-840
5" x 10	Star	38	680-862	680-861	680-863	.75M	680-860
6" x 10	Star	32	680-882	680-881	680-883	.75M	680-880

EXTERIOR DECKING SCREWS

STAR DRIVE



FLAT HEAD
WITH NIBS



COARSE
THREAD



TYPE 17
POINT




Premium Outdoor Star Screws - Type 17 Point, Coarse Thread

› For exterior use including decks, railings and other projects where rust resistance is important

BRONZE							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 8	Star	198	680-102	680-101	680-103	5M	680-100
1-5/8" x 8	Star	130	680-122	680-121	680-123	4M	680-120
1-3/4" x 8	Star	140	680-132	680-131	680-133	4M	680-130
2" x 9	Star	103	680-142	680-141	680-143	3M	680-140
2-1/2" x 9	Star	77	680-162	680-161	680-163	2.5M	680-160
3" x 9	Star	65	680-182	680-181	680-183	2M	680-180
3-1/2" x 10	Star	54	680-202	680-201	680-203	1M	680-200
4" x 10	Star	47	680-222	680-221	680-223	1M	680-220
4-1/2" x 10	Star	42	680-242	680-241	680-243	1M	680-240
5" x 10	Star	38	680-262	680-261	680-263	.75M	680-260
6" x 10	Star	32	680-282	680-281	680-283	.75M	680-280

GREEN							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 8	Star	198	680-302	680-301	680-303	5M	680-300
1-5/8" x 8	Star	130	680-322	680-321	680-323	4M	680-320
2" x 9	Star	103	680-342	680-341	680-343	3M	680-340
2-1/2" x 9	Star	77	680-362	680-361	680-363	2.5M	680-360
3" x 9	Star	65	680-382	680-381	680-383	2M	680-380
3-1/2" x 10	Star	54	680-402	680-401	680-403	1M	680-400
4" x 10	Star	47	680-422	680-421	680-423	1M	680-420

EXTERIOR DECKING SCREWS



Premium Outdoor Star Screws - Type 17 Point, Coarse Thread

› For exterior use including decks, railings and other projects where rust resistance is important

BROWN							
SIZE X GAUGE	DRIVE	APPROX. COUNT/LB	1LB	5LB	25LB	BULK QTY	BULK
1-1/4" x 8	Star	198	680-502	680-501	680-503	5M	680-500
1-5/8" x 8	Star	130	680-522	680-521	680-523	4M	680-520
2" x 9	Star	103	680-542	680-541	680-543	3M	680-540
2-1/2" x 9	Star	77	680-562	680-561	680-563	2.5M	680-560
3" x 9	Star	65	680-582	680-581	680-583	2M	680-580
3-1/2" x 10	Star	54	680-602	680-601	680-603	1M	680-600
4" x 10	Star	47	680-622	680-621	680-623	1M	680-620

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

The logo for STRIKER, featuring the word "STRIKER" in a bold, white, sans-serif font with a horizontal line through the middle of the letters. The background is dark blue.

BUILD STRONGER WITH STRIKER

CONCRETE & REBAR ACCESSORIES

MESH SHEETS • STEEL STAKES • ANCHOR BOLTS • BAR TIES • WIRE • REBAR



PLACE YOUR ORDER TODAY

TOMBALL, TX | 877.546.2457 | abmorders@accentwire.com
CYPRESS, CA | 877.530.1911 | abmordersca@accentwire.com

ACCENTBUILD.COM



Wire Mesh Sheets

› For use in reinforcing concrete

GAUGE	MESH SIZE	ROLL SIZE	COUNT	SKU
6	6x6	8' x 20'	50 Sheets/Bdl	100-006
10	6x6	8' x 20'	100 Sheets/Bdl	100-010



Wire Mesh Rolls

› For use in reinforcing concrete

GAUGE	MESH SIZE	ROLL SIZE	COUNT	SKU
6	6x6	5' x 150'	11 Rolls/Bdl	100-106
10	6x6	5' x 150'	18 Rolls/Bld	100-110



Round Steel Stakes with Holes

- › Used in concrete forming, staking tents, and surveying
- › Also used as garden timber stakes, railroad timber ties, and tree stakes
- › Machine-point end allows stake to be driven fast and easy into clay, rock or compacted soils

DIAMETER X LENGTH	COUNT	SKU
3/4" x 12"	10/Bdl	310-012
3/4" x 18"	10/Bdl	310-018
3/4" x 24"	10/Bdl	310-024
3/4" x 30"	10/Bdl	310-030
3/4" x 36"	10/Bdl	310-036
3/4" x 48"	10/Bdl	310-048



Round Steel Dowels

- › Used to hold concrete curbs in place and as a reinforcing joint

DIAMETER X LENGTH	COUNT	SKU
1/2" x 18"	25/Pk	310-102
1/2" x 24"	25/Pk	310-104
5/8" x 18"	25/Pk	310-202
5/8" x 24"	15/Pk	310-305
3/4" x 24"	15/Pk	310-304

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Flat Steel Stakes with Holes

- › Ideal for all types of concrete flatwork projects; slabs, footings, driveways, sidewalks, curbs and braces
- › Removable and reusable stakes to hold forms in place during a pour

DIAMETER X LENGTH	COUNT	SKU
1-1/2" x 12"	10/Bdl	309-010
1-1/2" x 18"	10/Bdl	309-020
1-1/2" x 24"	10/Bdl	309-030
1-1/2" x 30"	10/Bdl	309-040
1-1/2" x 36"	10/Bdl	309-050
1-1/2" x 48"	10/Bdl	309-060

CONCRETE & REBAR ACCESSORIES



Anchor Bolts With Nuts

› Designed to fasten frames to the foundation of structures

SIZE	WASHER SIZE/TYPE	COUNT PER BOX	COUNT PER PALLET	SKU
1/2" x 6" plain	Round	50	50	311-120
1/2" x 6" HDG	Round	50	50	311-121
1/2" x 8" plain	Round	50	50	311-140
1/2" x 8" HDG	Round	50	50	311-141
1/2" x 8" plain	None	100	50	311-144
1/2" x 10" plain	Round	50	50	311-160
1/2" x 10" HDG	Round	50	50	311-161
1/2" x 10" plain	None	100	50	311-165
1/2" x 12" plain	Round	50	50	311-181
1/2" x 12" plain	None	100	50	311-183
5/8" x 10" plain	None	50	50	312-160
5/8" x 12" plain	None	50	50	312-180
5/8" x 14" plain	None	50	40	312-200
5/8" x 16" plain	None	50	40	312-220
5/8" x 18" plain	None	50	40	312-240
5/8" x 24" plain	None	25	50	312-300
5/8" x 8" HDG	Square 2"x2"	25	50	313-140
5/8" x 10" plain	Round	25	50	313-150
5/8" x 10" HDG	Square 2"x2"	25	50	313-160
5/8" x 10" HDG	Square 3"x3"	25	50	313-161
5/8" x 10" HDG	None	50	50	313-165
5/8" x 12" HDG	None	50	50	313-180
5/8" x 12" HDG	Square 2"x2"	25	50	313-181
5/8" x 12" HDG	Square 3"x3"	25	50	313-182
5/8" x 14" HDG	None	50	40	313-200
5/8" x 16" HDG	None	50	40	313-210

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

CONCRETE & REBAR ACCESSORIES

SIZE	WASHER SIZE/TYPE	COUNT PER BOX	COUNT PER PALLET	SKU
3/4" x 10" plain	None	50	25	313-260
3/4" x 12" plain	None	50	25	313-280
3/4" x 14" plain	None	25	50	313-302
3/4" x 16" plain	None	25	50	313-320
7/8" x 10" plain	None	25	50	313-560
3/4" x 12" HDG	None	25	25	314-280
3/4" x 14" HDG	None	25	25	314-300
3/4" x 16" HDG	None	25	25	314-320

NAILS
COLLATED
SCREWS
CONCRETE
FENCING
ACOUSTICAL
POLY
ADDITIONAL PRODUCTS



Bar Ties

- › Eye hooks allow for quick and secure installation by hand or with available Twister Tool
- › Black-annealed wire, epoxy-coated and galvanized
- › Available in 100 and 1,000 piece quantities.

17 GAUGE			
SIZE	TIES PER ROLL	BAGS PER PALLET	SKU
4"	5M	72	341-050
4.5"	5M	72	341-060
5"	5M	63	341-070
5.5"	5M	63	341-080
6"	5M	54	341-090
6"	1M	54	341-093
6"	100	25	341-600MC
6.5"	5M	54	341-100
7"	5M	45	341-110
8"	5M	45	341-130
8"	1M	30	341-132
9"	5M	36	341-150
10"	5M	36	341-170
12"	5M	27	341-210

16 GAUGE			
SIZE	TIES PER ROLL	BAGS PER PALLET	SKU
5"	5M	63	341-071
6"	5M	54	341-091
8"	5M	45	341-131

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Bar Ties Twister Tool with Plastic Handle

- › Hand tool for twisting bar ties around rebar or remesh to hold them in place
- › Fast and easy to operate

SKU
341-500



Tie Wire

- › For attaching rebar to rebar

BLACK ANNEALED			
GAUGE	WEIGHT PER ROLL	ROLLS PER BOX	SKU
16 ga	3.5 lb	20	346-150
16.5 ga	3.5 lb	20	346-160
16.5 ga	Nominal	20	346-162
16 ga	Nominal	20	346-170

ELECTRO-GALVANIZED			
GAUGE	WEIGHT PER ROLL	ROLLS PER BOX	SKU
16 ga	3.5 lb	20	346-151
18 ga	3.5 lb	20	346-182

EPOXY COATED			
GAUGE	WEIGHT PER ROLL	ROLLS PER BOX	SKU
16 ga	3 lb	20	346-183



Tie Wire Reel

› Used with tie wire rolls

COUNT	SKU
5 Reels per Carton	346-200



Annealed Coil Wire

› Used as tie wire, bundling or baling wire

› Tangle-free unwinding

GALVANIZED		
GAUGE	WEIGHT PER ROLL	SKU
9 ga	100 lb	489-050

BLACK ANNEALED		
GAUGE	WEIGHT PER ROLL	SKU
9 ga	100 lb	490-050
9 ga	10 lb	490-051
11 ga	100 lb	490-053
12 ga	100 lb	490-055
16 ga	100 lb	490-056

NAILS

COLLATED

SCREWS

CONCRETE


FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

CONCRETE & REBAR ACCESSORIES



Welded Wire

- › Used for a variety of light-duty outdoor fence projects that require wire to be rigid and strong
- › The smaller mesh provides an effective barrier against small animals while maintaining an open view, ideal for yards, gardens, and pets

HOT DIP GALVANIZED

GAUGE	FEET PER ROLL	SKU
14 ga	36" x 300'	931-144436



Scaffolding Wire

- › High-quality wire used for scaffolding to the wall and for other general-purpose construction needs

ELECTRO-GALVANIZED

GAUGE	WEIGHT PER ROLL	SKU
12 ga	100 lb	489-100

BLACK ANNEALED

GAUGE	WEIGHT PER ROLL	SKU
12.5 ga	100 lb	490-100



Wall Ties

- › Anchors brick wall to supporting wood or brick wall structure

ELECTRO-GALVANIZED

GAUGE	COUNT PER CARTON	SKU
22 ga	500	321-310

AILS

COLLATED

SCREWS


CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Slab Bolsters

› Provides support for reinforcing steel on a continuous top wire in concrete slab pouring applications

SIZE	COUNT	SKU
2" x 5'	20/bdl	SBU2
3" x 5'	20/bdl	SBU3



Rod Chairs

› Holds rebar and wire mesh off the ground for initial pour

PLASTIC ROD CHAIR			
REBAR SIZE	HEIGHT	COUNT PER BAG/BOX	SKU
-	2-1/4"	500	361-200
-	3-1/4"	500	361-230

PLASTIC HIGH CHAIR			
REBAR SIZE	HEIGHT	COUNT PER BAG/BOX	SKU
-	2-1/4"	20	361-210MC

ROD CHAIR			
REBAR SIZE	HEIGHT	COUNT PER BAG/BOX	SKU
#2	-	40	361-400MC
#3	-	40	361-420MC

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Rebar Caps

- › These bright orange rebar caps provide some protection from protruding rebar at construction sites
- › They are highly visible
- › Fits easily over most standard rebar sizes

MUSHROOM CAP: OFFERS HIGH VISIBILITY TO MARK REBAR PLACEMENT	
COUNT PER BAG	SKU
25	361-500MC

OSHA CAP: OSHA APPROVED SAFETY DEVICE DESIGNED TO PROTECT AGAINST IMPALEMENT	
COUNT PER BAG	SKU
25	361-520MC

"PLASTIC ROUND CAP: OFFERS HIGH VISIBILITY TO MARK REBAR PLACEMENT REINFORCEMENT"	
COUNT PER BAG	SKU
250	362-010



Rebar & Rebar Pins

› Grade 40, Grade 60 and No Grade available in 20 ft. and 40 ft.

REBAR			
REBAR SIZE	LENGTH	COUNT	SKU
#3	20'	266/bdl	370-103
#4	20'	150/bdl	370-104
#5	20'	96/bdl	370-105
#6	20'	68/bdl	370-106
#3	10'	266/bdl	REB310
#4	10'	150/bdl	REB410

REBAR PINS			
REBAR SIZE	LENGTH	COUNT	SKU
#3	12"	25/bdl	REB312
#3	18"	25/bdl	REB318
#3	24"	25/bdl	REB324
#3	30"	25/bdl	REB330
#3	36"	25/bdl	REB336
#3	48"	25/bdl	REB348
#4	12"	25/bdl	REB412
#4	18"	25/bdl	REB418
#4	24"	25/bdl	REB424
#4	36"	25/bdl	REB436
#4	48"	25/bdl	REB448

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Stirrups/Corners

- › Stirrups are used for vertical main reinforcement and help to avoid the lateral deformation of interior concrete core so that the strength of concrete column is increased
- › Corners are typically used to reinforce the corners of slabs and to tie together vertical and horizontal pieces of rebar.

CLOSED REBAR STIRRUPS			
REBAR SIZE	LENGTH/SIZE	COUNT	SKU
#3	12" x 6"	25/bdl	371-010
#3	12" x 8"	25/bdl	371-612
#3	16" x 6"	25/bdl	371-016
#3	18" x 6"	25/bdl	371-018
#3	20" x 6	25/bdl	371-020
#3	24" x 6	25/bdl	371-024
#3	28" x 7"	25/bdl	371-550
#3	18" x 8"	25/bdl	371-600
#3	24" x 8	25/bdl	371-660
#3	30" x 8"	25/bdl	371-670

CONCRETE & REBAR ACCESSORIES

OPEN REBAR STIRRUP			
REBAR SIZE	LENGTH/SIZE	COUNT	SKU
#3	12" x 6"	25/bdl	371-110
#3	13" x 6"	25/bdl	371-113
#3	15" x 6	25/bdl	371-120
#3	17" x 6"	25/bdl	371-117
#3	18" x 6"	25/bdl	371-130
#3	20" x 6"	25/bdl	371-135
#3	24"x 6"	25/bdl	371-140
#3	28" x 6"	25/bdl	371-145
#3	30" x 6"	25/bdl	371-150
#3	36" X 6"	25/bdl	371-160
#3	42" X 6"	25/bdl	371-165
#3	48" X 6"	25/bdl	371-170
#3	12" X 7"	25/bdl	371-240
#3	15" X 7"	25/bdl	371-270
#3	17" X 7"	25/bdl	371-290
#3	18" X 7"	25/bdl	371-300
#3	21" X 7"	25/bdl	371-321
#3	24" X 7"	25/bdl	371-360
#3	30" X 7"	25/bdl	371-370
#3	36" X 7"	25/bdl	371-380
#3	12" X 8"	25/bdl	371-740
#3	13" X 8"	25/bdl	371-743
#3	16" X 8"	25/bdl	371-746
#3	17" X 8"	25/bdl	371-747
#3	18" X 8"	25/bdl	371-748
#3	20" X 8"	25/bdl	371-750
#3	24" X 8"	25/bdl	371-754

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

CONCRETE & REBAR ACCESSORIES

REBAR HOOP STIRRUP			
REBAR SIZE	LENGTH/SIZE	COUNT	SKU
#3	6"	10/bdl	371-430-10
#3	8"	10/bdl	371-440-10
#3	10"	10/bdl	371-410
#3	12"	10/bdl	371-400-10
#3	18"	10/bdl	371-420-10
#4	12"	10/bdl	371-401-10
#4	18"	10/bdl	371-421-10

90° CORNER REBAR			
REBAR SIZE	LENGTH/SIZE	COUNT	SKU
#4	2' x 2'	10/bdl	372-401
#5	2' x 2'	10/bdl	372-500
#6	2' x 2'	10/bdl	372-600
#6	30" x 30"	10/bdl	372-601

TRIANGLE STIRRUP			
REBAR SIZE	LENGTH/SIZE	COUNT	SKU
#3	6" x 6" x 6"	25/bdl	372-006

SQUARE STIRRUP			
REBAR SIZE	LENGTH/SIZE	COUNT	SKU
#3	6" x 6"	-	372-106

Z BAR			
REBAR SIZE	LENGTH/SIZE	COUNT	SKU
#3	12" x 3-1/2" x 12"	-	372-008

AILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Washers

FITS BOLT SIZE	WASHER SIZE	WASHER TYPE	COUNT PER BAG/BOX	SKU
1/2" round	2" x 2" x 3/16"	square	100	311-020
1/2" round	3" x 3" x 1/4"	square	50	311-040
1/2" slotted	3" x 3" x 1/4"	square	50	311-060
5/8" round	2" x 2" x 3/16"	square	100	311-025
5/8" round	3" x 3" x 1/4"	square	50	312-040
5/8" slotted	3" x 3" x 1/4"	square	50	312-060
5/8" slotted	3" x 4-1/2" x 1/4"	plate	50	314-060
3/4" round	3" x 3" x 1/4"	square	50	313-220
7/8" round	3" x 3" x 1/4"	square	50	313-420
7/8" round	3-1/2" x 3-1/2" x 3/8"	round	50	313-425
1" round	3-1/2" x 3-1/2" x 3/8"	square	50	314-010
1-1/8" round	3-1/2" x 3-1/2" x 3/8"	square	50	314-030
1-1/4" round	4" x 4" 1/2"	square	30	314-070
-	2" x 1/2" x 1/8"	grade 2 galv steel fender	500	317-200

HOT DIP GALVANIZED				
FITS BOLT SIZE	WASHER SIZE	WASHER TYPE	COUNT PER BAG/BOX	SKU
1/2" slotted	3" x 3" x 1/4"	square	50	311-080
5/8" slotted	3" x 3" x 1/4"	square	50	312-080
5/8" round	3" x 3" x 1/4"	square	50	312-070
3/4" round	3" x 3" x 1/4"	square	50	313-230
7/8" round	3-1/2" x 3-1/2" x 3/8"	round	50	313-430
1" round	3-1/2" x 3-1/2" x 3/8"	round	50	314-015
1-1/8" round	3-1/2" x 3-1/2" x 3/8"	round	40	314-035
1-1/4" round	4" x 4" 1/2"	round	30	314-075
5/8" slotted	3" x 4-1/2" x 1/4"	plate	50	314-080

NAILS

COLLATED

SCREWS

CONCRETE

FENCING


ACOUSTICAL

POLY

ADDITIONAL PRODUCTS



FENCING & T-POSTS



PLACE YOUR ORDER TODAY

TOMBALL, TX | 877.546.2457 | abmorders@accentwire.com
CYPRESS, CA | 877.530.1911 | abmordersca@accentwire.com

ACCENTBUILD.COM



T-Posts, Studded Without Clips

- › Designed to drive easily into the ground
- › Features a studded design to secure fencing fabric

SIZE	WEIGHT	ITEM NUMBER
5'	.95LB	915-150
6'	.95LB	915-160
5'	1.25LB	915-250
6'	1.25LB	915-260



T-Post Clips

- › 12 gauge, galvanized

QTY	ITEM NUMBER
1,000/box	915-900

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS


FENCING & T-POSTS



Electric Fence Wire

- › Used for rotational grazing and temporary enclosures
- › Provides additional security to existing system
- › Galvanized for superior protection against rust and corrosion

GAUGE	LENGTH	REELS/BOX	ITEM NUMBER
17	1/4 mi (1,320')	4	491-570



Hardware Cloth

- › Used for home projects, garden use, and the workshop
- › Galvanized prior to welding for a smooth finish adhered to the wire surface that marries strength and durability

GAUGE	MESH SIZE	HEIGHT	LENGTH	ITEM NUMBER
23	1/4"	24"	5'	917-14245
23	1/4"	24"	10'	917-142410
23	1/4"	24"	25'	917-142425
23	1/4"	24"	100'	917-1424100
23	1/4"	36"	10'	917-143610
23	1/4"	36"	25'	917-143625
23	1/4"	36"	100'	917-1436100
23	1/4"	48"	10'	917-144810
23	1/4"	48"	100'	917-1448100
23	1/8"	24"	10'	917-182410
23	1/8"	36"	100'	917-1836100
19	1/2"	24"	5'	918-12245
19	1/2"	24"	10'	918-122410
19	1/2"	24"	100'	918-1224100
19	1/2"	36"	10'	918-123610
19	1/2"	36"	100'	918-1236100
19	1/2"	48"	10'	918-124810
19	1/2"	48"	100'	918-1248100

NAILS

COLLATED

SCREWS


CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Welded Wire Fence

- › Used for a variety of light-duty outdoor fence projects
- › Smaller mesh provides an effective barrier against small animals while maintaining an open view, ideal for yards, gardens, and pets
- › Galvanized with welded construction provides a smooth finish to the wire surface and a superior layer of protection against rust and corrosion

GAUGE	MESH SIZE	HEIGHT	LENGTH	ITEM NUMBER
16	2"	36"	100'	921-2236100
16	2"	48"	100'	921-2248100
16	2"	60"	100'	921-2260100
16	2"	72"	100'	921-2272100
14	2"	36"	50'	920-243650
14	2"	36"	100'	920-2436100
14	2"	48"	50'	920-244850
14	2"	48"	100'	920-2448100
14	2"	60"	50'	920-246050
14	2"	60"	100'	920-2460100
14	2"	72"	50'	920-247250
14	2"	72"	100'	920-2472100
12.5	2"	36"	100'	919-2436100
12.5	2"	48"	100'	919-2448100
12.5	2"	60"	100'	919-2460100
12.5	2"	72"	100'	919-2472100

NAILS

COLLATED

SCREWS


CONCRETE

FENCING

ACOUSTICAL

POLY


ADDITIONAL
PRODUCTS



Aviary Net

- › Used for constructing poultry and pet pens, garden pest barriers, arts, and crafts projects
- › Wire is woven into a uniform hexagon mesh with horizontal wires to keep fence straight and upright
- › Galvanized prior to weaving provides a smooth finish to the wire surface and an additional layer of protection against corrosion

GAUGE	MESH SIZE	HEIGHT	LENGTH	ITEM NUMBER
22	1/2"	24"	25'	922-122425
22	1/2"	24"	100'	922-1224100
22	1/2"	36"	25'	922-123625
22	1/2"	36"	100'	922-1236100
22	1/2"	48"	100'	922-1248100
22	1/2"	72"	100'	922-1272100



Poultry Net

- › Used for constructing poultry and pet pens, garden pest barriers, arts, and crafts projects
- › Wire is woven into a uniform hexagon mesh with horizontal wires to keep fence straight and upright
- › Galvanized prior to weaving provides a smooth finish to the wire surface and an additional layer of protection against corrosion

GAUGE	MESH SIZE	HEIGHT	LENGTH	ITEM NUMBER
20	1"	18"	150'	923-1118150
20	1"	24"	50'	923-112450
20	1"	24"	150'	923-1124150
20	1"	36"	50'	923-113650
20	1"	36"	150'	923-1136150
20	1"	48"	25'	923-114825
20	1"	48"	50'	923-114850
20	1"	48"	150'	923-1148150
20	1"	60"	50'	923-116050
20	1"	60"	150'	923-1160150
20	1"	72"	150'	923-1172150



ACOUSTICAL

HANGER WIRE • PIN & CLIP • LAG POLE



PLACE YOUR ORDER TODAY

TOMBALL, TX | 877.546.2457 | abmorders@accentwire.com
CYPRESS, CA | 877.530.1911 | abmordersca@accentwire.com

ACCENTBUILD.COM



Galvanized Pre-tied Hanger Wire

› Wire also tied to order in-house to a variety of clips, plates, anchors, rebar, and lag screws

TO 1-1/4" PIN & CLIP				
GAUGE	LENGTH	PIECES PER BUNDLE	BUNDLE	SKU
12 ga	4'	100	20	480-040
12 ga	6'	100	20	480-060
12 ga	8'	100	20	480-080
12 ga	10'	100	20	480-110
12 ga	12'	100	20	480-120
12 ga	14'	100	20	480-140
12 ga	16'	100	20	480-160
12 ga	18'	100	20	480-180
12 ga	20'	100	20	480-200
8 ga	4'	100	20	477-040
8 ga	6'	100	20	477-060
8 ga	8'	100	20	477-080
8 ga	10'	100	20	477-100
8 ga	12'	100	20	477-120
8 ga	14'	100	20	477-140
8 ga	16'	100	20	477-160
8 ga	18'	100	20	477-180
8 ga	20'	100	20	477-200

TO 1-1/4" PIN & 135° CLIP				
GAUGE	LENGTH	PIECES PER BUNDLE	BUNDLE	SKU
12 ga	6'	100	-	480-061
12 ga	8'	100	-	480-081
12 ga	12'	100	-	480-121

WITH RAMSET - TO 1-1/4" PIN & 135° CLIP				
GAUGE	LENGTH	PIECES PER BUNDLE	BUNDLE	SKU
12 ga	8'	100	-	480-081R
12 ga	10'	100	-	480-111R
12 ga	12'	100	-	480-121R

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Galvanized Hanger Wire

- › 50 LB and 100 pieces bundles
- › 8-GA, 9-GA, and 12-GA wire
- › Lengths from 4 FT to 40 FT

STRAIGHT & CUT				
SIZE	LENGTH	PIECES PER BUNDLE	BUNDLES	SKU
12 ga	4'	100	20	485-040
12 ga	6'	100	20	485-060
12 ga	8'	100	20	485-080
12 ga	10'	100	20	485-100
12 ga	12'	100	20	485-120
12 ga	14'	100	20	485-140
12 ga	16'	100	20	485-160
12 ga	18'	100	20	485-180
12 ga	20'	100	20	485-200
12 ga	24'	100	20	485-240
12 ga	28'	100	20	485-280
12 ga	30'	100	20	485-300
12 ga	40'	100	20	485-400
8 ga	4'	100	20	478-040
8 ga	6'	100	20	478-060
8 ga	8'	100	20	478-080
8 ga	10'	100	20	478-100
8 ga	12'	100	20	478-120
8 ga	14'	100	20	478-140
8 ga	16'	100	20	478-160
8 ga	20'	100	20	478-200

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

STRAIGHT & CUT				
SIZE	LENGTH	PIECES PER BUNDLE	BUNDLES	SKU
12 ga	12'	133	50 LBS	483-120
12 ga	16'	100	50 LBS	483-160
12 ga	20'	80	50 LBS	483-200
12 ga	24'	67	50 LBS	483-240
12 ga	30'	54	50 LBS	483-300
9 ga	12'	67	50 LBS	481-120



Stainless Steel Hanger Wire

› Wire also tied to order in-house to a variety of clips, plates, anchors, rebar, and lag screws

STRAIGHT & CUT				
SIZE	LENGTH	PIECES PER BUNDLE	BUNDLES	SKU
12 ga	4'	100	20	484-040
12 ga	6'	100	20	484-060
12 ga	8'	100	20	484-080
12 ga	10'	100	20	484-100
12 ga	12'	100	20	484-120
12 ga	16'	100	20	484-160



We are able to tie any of the clips or lag screws below to 8 ga and 12 ga wire from 4' to 20' in length

BUNDLE	BUNDLE QUANTITY	SKU
100	90° Clip (100 pcs)	479-300
100	7/8" Pin with 90° Clip (100 pcs)	479-203
100	1-1/4" Pin with 90° Clip (100 pcs)	479-200
100	1-1/2" Pin with 90° Clip (100 pcs)	479-202
100	Powers 1-1/4" Pin with 90 deg Clip (100 pcs)	479-205
100	Simpson 1-1/4" Pin with 90 deg Clip (100 pcs)	479-201
100	AB90 - 90° x 12-GA Heavy Duty Clip (100 pcs)	479-301
100	AB45 - 135° x 12-GA Heavy Duty Clip (100 pcs)	479-310
100	135° x 3" x 4" x 12-GA Plate w/ 5 holes (100 pcs)	479-320
100	HOCL-9 - 135 deg x 1.5" x 2" x 12-GA Plate w/ 5/8" Hole (100 pcs)	479-330
1000	3/4" S/D Eye Lag Screws (1,000 pcs)	600-090
1000	1-3/4" S/D Eye Lag Screws (1,000 pcs)	600-095
1000	2" S/D Eye Lag Screws (1,000 pcs)	600-120
1000	3" Wood Eye Lag Screws (1,000 pcs)	600-080
1000	4" Wood Eye Lag Screws (1,000 pcs)	600-100



Lag Poles

› Use to install ceiling wire, jack chains, threaded rod, smooth rod, and overhead screws from the ground in one motion

TYPE	LENGTH	SIZE	SKU
P618L	18'	Triple 6'	591-180



Power Actuated Drive Pins w/ Washers

- › Designed for permanently fastening a fixture to concrete, concrete block, and structural steel
- › Use with compatible strip loads and power actuated tools

SHANK DIAMETER	SHANK LENGTH	HEAD DIAMETER	WASHER DIAMETER	TOTAL LENGTH	COUNT PER LB.	SKU
.145"	3/4"	.300	1"	25mm	100	595-607
.145"	1"	.300	1"	25mm	100	595-610
.145"	1-1/4"	.300	1"	32mm	100	595-620
.145"	1-1/2"	.300	1"	38mm	100	595-630
.145"	2"	.300	1"	51mm	100	595-640
.145"	3"	.300	1"	76mm	100	595-660



Power Actuated Strip Loads

- › Strips for fastening into concrete, hardened concrete and steel

.27 CALIBER STRIP LOADS - 10 SHOTS/STRIP

TYPE	COLOR	PIECES	SKU
.27 caliber	Red	100	596-110
.27 caliber	Yellow	100	596-120
.27 caliber	Green	100	596-130

.25 CALIBER STRIP LOADS - 10 SHOTS/STRIP

TYPE	COLOR	PIECES	SKU
.25 caliber	Yellow	100	595-210

.22 CALIBER STRIP LOADS - 10 SHOTS/STRIP

TYPE	COLOR	PIECES	SKU
.22 Neck Down	Red	100	596-300
.22 Neck Down	Yellow	100	596-310
.22 Neck Down	Green	100	596-320

STRIKER

BUILD STRONGER WITH STRIKER

POLY

PAINTERS PLASTIC • CONTRACTOR BAGS



PLACE YOUR ORDER TODAY

TOMBALL, TX | 877.546.2457 | abmorders@accentwire.com
CYPRESS, CA | 877.530.1911 | abmordersca@accentwire.com

ACCENTBUILD.COM



Poly

› We carry a large selection of construction film, stretch film and trash bags in various sizes and quantities in stock

LIGHT DUTY			
› Provides light protection from paint, dust and other materials			
› Easy to drape and attach			
› For protecting surfaces from workers, movers, pets, etc.			
MIL THICKNESS	SIZES	COLOR	SKU
.75 mil	9' x 400'	Clear	444-000
1 mil	9' x 400'	Clear	443-720
1 mil	12' x 400'	Clear	443-740
1.5 mil	8'4" x 200'	Clear	444-002
1.5 mil	12' x 200'	Clear	444-004
2 mil	4'2" x 200'	Clear	454-200
2 mil	10' x100'	Clear	443-610
2 mil	12' x 200'	Clear	454-220
2 mil	12' x 400'	Clear	454-230

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

MEDIUM DUTY

- › For moderate protection for interior or exterior jobs
- › Use for dust and sawdust abatement
- › Provides a barrier against vapor and airborne particles
- › 6 mil sheeting suitable for use in excavation and gardening applications

MIL THICKNESS	SIZES	COLOR	SKU
3 mil	10' x 20'	Clear	444-031
3 mil	10' x 100'	Clear	444-030
4 mil	8' x 50"	Clear	445-303
4 mil	10' x 25'	Clear	445-304
4 mil	10' x 25'	Black	445-305
4 mil	10' x 100'	Clear	445-300
4 mil	12' x 100'	Clear	445-420
4 mil	20' x 25'	Clear	445-453
4 mil	20' x 50'	Clear	445-452
4 mil	20' x 100'	Clear	445-450
4 mil	20' x 100'	Black	445-451
6 mil	10' x 100'	Clear	447-440
6 mil	12' x 100'	Clear	447-442
6 mil	12' x 300'	Black	447-612
6 mil	16' x 100'	Black	457-447
6 mil	18' x 300'	Black	447-618
6 mil	20' x 50'	Clear	447-453
6 mil	20' x 50'	Black	447-452
6 mil	20' x 100'	Clear	447-450
6 mil	20' x 100'	Black	447-451
6 mil	32' x 100'	Black	447-632
6 mil	32' x 100'	Clear	447-633
6 mil	40' x 100'	Clear	447-640
6 mil	40' x 100'	Black	447-641

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

HEAVY DUTY

- › Provides superior protection from the element
- › For heavy-duty worksite applications
- › Ideal for longer-term commercial use

MIL THICKNESS	SIZES	COLOR	SKU
10 mil	20' x 100'	Clear	449-450
10 mil	20' x 100'	Black	449-451

HIGH-DENSITY PAINTERS PLASTIC

- › High-density polyethylene acts as an excellent overspray shield, paint protection and dust barrier
- › Easy to dispense and excellent tape adhesion
- › Multi-purpose cover and paint drape

MIL THICKNESS	SIZES	COLOR	SKU
.31 mil High Density	9' x 400'	Clear	443-301
.75 mil High Density	9' x 400'	Clear	453-475

ALL PURPOSE CONTRACTOR BAGS

- › All purpose clean-up including lawn, heavy trash

MIL THICKNESS	SIZES	COLOR	SKU
3 mil	42 Gallon, 33" x 48"	Black	444-500
3 mil	55 Gallon, 39" x 58"	Black	444-520

PALLET COVERS

- › Provides tough protection from elements

MIL THICKNESS	SIZES	COLOR	SKU
2 mil	51" x 49" x 73"	Clear	443-280

STRETCH WRAP

› Provides tough protection from elements

MIL THICKNESS	SIZES	COLOR	SKU
-	18" x 1500'		443-180

DRYWALL BAGS

› Sturdy material for protection from elements
› Resistant to normal wear and tear

MIL THICKNESS	SIZES	COLOR	SKU
2 mil	8' Double, 155" x 78"	Clear	453-250

BAGGING PLASTIC

› Provides tough protection from elements

MIL THICKNESS	SIZES	COLOR	SKU
2.25 mil	3' x 1000'	Clear	444-003

FLAME RETARDANT PLASTIC

› Fire-retardant wall barrier poly resists sparks and flames from electric tool work, like welding and soldering

MIL THICKNESS	SIZES	COLOR	SKU
6 mil - flame retardant	20' x 100'	Clear	457-452

NAILS

COLLATED

SCREWS

CONCRETE

FENCING


ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



ADDITIONAL PRODUCTS




PLACE YOUR ORDER TODAY

TOMBALL, TX | 877.546.2457 | abmorders@accentwire.com
CYPRESS, CA | 877.530.1911 | abmordersca@accentwire.com

ACCENTBUILD.COM

ADDITIONAL PRODUCTS



Electro-Galvanized Metal Lath

- › Bends easily around curved surfaces to provide excellent support
- › Galvanized metal for enhanced strength

FLAT			
SIZE	WIDTH X LENGTH	COUNT	SKU
1.75	27" X 96"	250	916-175-96
1.75	27" X 97"	250	919-175
2.5	27" X 97"	500	918-250
2.5	27" X 97"	500	916-250
3.4	27" X 97"	250	916-340

SELF FURRING			
SIZE	WIDTH X LENGTH	COUNT	SKU
1.75	27" X 96"	250	917-175-96
2.5	27" X 97"	500	916-750

SELF FURRING WITH PAPERBACK			
SIZE	WIDTH X LENGTH	COUNT	SKU
2.5	27" X 97"	250	917-300

DIMPLED			
SIZE	WIDTH X LENGTH	COUNT	SKU
2.5	27" X 97"	500	918-750

MESH FORM METAL RIB FORMING SHEET			
WEIGHT	WIDTH X LENGTH	COUNT	SKU
11.9 LBS	27" X 97"	10	916-900


ADDITIONAL PRODUCTS



Steel Plywood Clip - Plywood Sheathing Clip

- › Replace wood blocking on roof sheathing
- › Tight fit for positive installation
- › Embossed dimples provide 1/8" gap needed to prevent panels from popping up as sheathing expands

GAUGE	SIZE	COUNT	SKU
20	7/16"	250	315-311
20	15/32"	250	315-410



Metal Lath Accessories

- › Pre-punched nail holes for quick installation and sturdy construction for lasting use
- › Galvanized metal finish for durability and protection

TYPE	COUNT	SKU
10' #1 Corner Bead	30	917-400
10' #66 EF, 1/2" Casing Bead	30	917-401
10' #66 EF, 7/8" Casing Bead	30	917-408
10' #66 EF, 3/8 Casing Bead	30	917-410
10' # 66 EF, 3/4" Casing Bead	30	917-430
10' x 3/8" Double V Expansion Joint	24	917-413
10' x 1/2" Double V Expansion Joint	24	917-411
10' x 3/4" Double V Expansion Joint	24	917-431
10' x 1/2" x 1/2" x 7/16" Expansion Board Cap	50	917-420



Galvanized Stone Wire

- › Used for securing wire around poles or cable clamps
- › Galvanized steel wire provides heavy-duty use outside or indoors

GAUGE	WEIGHT	COUNT	SKU
18	12.5 lb	8 stones/bdl	491-180

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL PRODUCTS

ADDITIONAL PRODUCTS



Strapping

› Strong reinforcement for demanding jobs and bundling

OSCILLATED WOUND STEEL STRAPPING - RD STEEL

SIZE	SKU
3/4" x 202	S212
3/4" x 202	S212-1



Hank Wire

STRAIGHT

GAUGE	WEIGHT	COUNT	SKU
18	25"	80 PCS	490-010

U-HANK

GAUGE	WEIGHT	COUNT	SKU
18	45"	80 PCS	490-012
16	45"	80 PCS	490-013

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

ADDITIONAL PRODUCTS



Tarps

- › Recommended for all-weather use outdoors. These tarps are popular for canopy replacement tops, roofing, farm covers, equipment and machinery covers
- › Rope-reinforced hems around the edges and heat sealed
- › Built-in UV protection to block sunlight with aluminum grommets for easy tie-down
- › Washable and reusable for long-lasting use

GRAY			
MIL THICKNESS	SIZES	COLOR	SKU
4 mil	8' x 10'	Gray	438-0810
4 mil	12' x 16'	Gray	438-1216
4 mil	16'x 20'	Gray	438-1620
4 mil	20' x 40'	Gray	438-2040

BLUE			
MIL THICKNESS	SIZES	COLOR	SKU
4 mil	5' x 7'	Blue	439-0507
4 mil	6' x 8'	Blue	439-0608
4 mil	8' x 10'	Blue	439-0810
4 mil	9'x 12'	Blue	439-0912
4 mil	10' x 12'	Blue	439-1012
4 mil	10' x 20'	Blue	439-1020
4 mil	12' x 16'	Blue	439-1216
4 mil	12' x 20'	Blue	439-1220
4 mil	16' x 20'	Blue	439-1620
4 mil	18' x 24'	Blue	439-1824
4 mil	20' x 20'	Blue	439-2020
4 mil	20' x 24'	Blue	439-2024
4 mil	20 x 30'	Blue	439-2030
4 mil	20' x 40'	Blue	439-2040
4 mil	30' x 40'	Blue	439-3040
4 mil	30' x 50'	Blue	439-3050
4 mil	40' x 40'	Blue	439-4040
4 mil	40' x 60'	Blue	439-4060

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

ADDITIONAL PRODUCTS

AILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Orange Safety Fence

- › Ideal for fencing off construction sites
- › Orange fences have high visibility and are excellent for traffic control on highways, local streets and residential areas
- › It is tear resistant and will withstand harsh weather

SIZE	DESCRIPTION	SKU
4' x 100'	Heavy Duty	913-031



Craft Paper

- › Asphalt saturated to be used as weather-resistant barrier or moisture barrier
- › Common applications behind stucco or other exterior wall claddings as a "secondary-weather barrier"
- › ASTM D 779 water resistance exceeds 30

LENGTH	WIDTH	COVERAGE	PLY COUNT	COUNT	SKU
98"	40"	324 sq ft	Single Ply Craft Paper	144 Rolls/Pallet	920-100
49"	40"	162 sq ft	Double Ply Craft Paper	144 Rolls/Pallet	920-120



Building Paper

- › Asphalt saturated building paper, weather-resistant barrier, also described as a moisture barrier.
- › Provides the needed protection from internal wall damage due to moisture leakage, and condensation.

MOISTURE RESISTANCE	WIDTH	TYPE	COUNT	SKU
10 Minute	40" x 98' (324 sq ft)	Black, Single	144 Rolls/Pallet	441-010
10 Minute	40" x 49' (162 sq ft)	Black, Double	144 Rolls/Pallet	441-020
60 Minute	40" x 72' (240 sq ft)	Black, Single	144 Rolls/Pallet	441-060
60 Minute	35" x 166'	Brown Rosin	72 Rolls/Pallet	441-102

ADDITIONAL PRODUCTS

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Rolled Valley

- › Standard economy gauge galvanized steel roll valley, unless specified
- › Common applications include custom cut sizes of rust-resistant flashing, that can be bent and shaped for weatherproofing projects

LENGTH	WIDTH	COUNT	SKU
50'	18"	Each	316-180
50'	20"	Each	316-200



House Wrap (Rex Wrap 5.5 Mil)

- › REX Wrap® is manufactured from a polypropylene woven fabric with a polypropylene coating that contains UV inhibitors
- › Special order - drop ship program

LENGTH	WIDTH	WEIGHT	COUNT	SKU
150'	9'	13 lbs	+/-45 rolls/pallet	999-501



Window Wrap

- › 20 mil self-adhering, self-sealing, waterproofing rubberized asphalt tape, laminated to polyethylene film
- › The coating is supplied in rolls, with an easy to remove film release liner, used to strip in or flash window frames, door frames, and other construction seams

LENGTH	WIDTH	TYPE	COUNT	SKU
100'	4"	20Mil WindowSeal	12 rolls per carton	PWWS4100
100'	6"	20Mil WindowSeal	8 rolls per carton	PWWS6100
100'	9"	20Mil WindowSeal	4 rolls per carton	PWWS9100

ADDITIONAL PRODUCTS



Synthetics Roofing Underlayment

- › Epilay Roofing Underlayment is coated woven synthetic roofing underlayment for sloped roofs
- › Water repellant, non-absorbent
- › Works best for use under Asphalt Shingles and Residential Metal
- › Does not wrinkle, crack or become stiff in colder temperatures for smooth and easy installation

LENGTH	TYPE	COUNT	SKU
48" x 250'	Roofing Underlayment, Epilay Plasmfelt	64/pallet	PPCF-700-0100



Floor Protection

- › Provides heavy-duty protection against damage to new & existing wood, tile, stone, concrete, most other floor types & walls
- › Water shield barrier to withstand liquid spills
- › Reusable & recyclable
- › Product is applicable for residential & commercial construction or remodeling

MIL THICKNESS	TYPE	COUNT	SKU
32 mil	38" x 100'	16/pallet	441-201
42 mil	38" x 100'	16/pallet	441-200



Stucco Mesh

- › Used with cement, plastic, asphalt, stucco, marble, roof, inside and outside walls, and other innovative uses in construction
- › Concrete reinforcing in building EIFS system
- › Cut to size and shape you need, then permanently repair and reinforce hair-line cracks and holes
- › Fast and professional results for Interior and exterior applications

MIL THICKNESS	TYPE	COUNT	SKU
38" x 150'	w/o Self Adhesive, 4.5oz White	4 rolls/ctn	916-100
38" x 150'	with Self Adhesive, 4.5oz White	4 rolls/ctn	916-100A
48" x 150'	w/o Self Adhesive, 4.5oz White	4 rolls/ctn	916-120
4" x 150'	with Self Adhesive, 4.5oz White	18 rolls/ctn	916-040A
9.5" x 150'	w/o Self Adhesive, 4.5oz White	6 rolls/ctn	916-095

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

ADDITIONAL PRODUCTS



Red Stucco Tape

- › Essential product for use when installing masonry, cement, insulation, and other construction projects
- › Polyflex 135 is a heavy-duty polyethylene backing, single-coated with synthetic rubber adhesive

MIL THICKNESS	LENGTH X WIDTH	COUNT	SKU
135	2" x 60 yd	24 rolls/ctn	999-800
135	2" x 60 yd	24 rolls/ctn	999-805
135	4" x 60 yd	12 rolls/ctn	999-810



SubSeal-40

- › Prefabricated, 40 mil self adhering sheet-type waterproofing membrane.
- › It is composed of a tough multi-layer high-strength polymer film that is coated with a layer of specially formulated rubberized asphalt adhesive.
- › A release liner protects the asphalt and is removed as the membrane is installed.
- › This advanced SubSeal-40™ aggressively bonds to the substrate and will seal around fasteners to prevent damage caused by water penetration.

MIL THICKNESS	SIZE	COUNT	SKU
40 mil	6" x 75'	6/case	800-806
40 mil	9" x 75'	4/case	800-809
40 mil	12" x 75'	3/case	800-812
40 mil	18" x 75'	2/case	800-818
40 mil	24" x 75'	1/case	800-824
40 mil	36" x 75'	1/case	800-836



FutureFlash® Sealant

- › Provides excellent adhesion to a wide variety of building materials, including vinyl, wood, aluminum and masonry.
- › High performance, UV stable, paintable, low-to-medium modulus, one-component, gun grade hybrid polyurethane sealant.
- › The sealant cures to a flexible rubber when exposed to atmospheric moisture. Specially designed for use as a sealant in the installation of windows and doors. It can also be used in variety of construction joints and seams.

MIL THICKNESS	SIZE	COUNT	SKU
25 mil	9" x 75'	4/case	441-42009
25 mil	12" x 75'	3/case	441-42012

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Drywall Shims

- › Used to correct irregularities in framing behind drywall
- › Attach with staples, nails, or screws to framing
- › Used to shim installation around windows and doors

SIZE	COUNT	SKU
1-1/2" x 45"	100 pcs, Domestic	441-45112D
3" x 45"	100 pcs, Domestic	441-45300D
1-1/2" x 45"	100 pcs, Import	441-45112
3" x 45"	50 pcs, Import	441-45300



Stretch Wrap

GAUGE	LENGTH	COUNT	SKU
80	18" x 1500'	4 rolls/case	443-180



Threaded Rod

FN-1554 PLAIN				
DIAMETER	LENGTH	TIPS	COUNT	SKU
1/2"	2'	Blue	5/tube	464-3402
1/2"	3'	Blue	5/tube	464-3403
5/8"	18"	Blue	5/tube	464-3418
5/8"	1'	Blue	8/tube	464-5801
5/8"	2'	Blue	8/tube	464-5802
5/8"	3'	Blue	8/tube	464-5803
5/8"	18"	Blue	8/tube	464-5818
5/8"	10'	Blue	8/tube	464-5810
5/8"	12'	Blue	8/tube	464-5812
3/4"	2'	Blue	4/tube	464-7802
3/4"	3'	Blue	4/tube	464-7803
3/4"	18"	Blue	4/tube	464-7818
3/4"	10'	Blue	4/tube	464-7810
3/4"	12'	Blue	4/tube	464-7812
1/4"	2'	Blue	3/tube	464-102
1/4"	3'	Blue	3/tube	464-103
3/8"	10'	Blue	3/tube	464-110
3/8"	12'	Blue	3/tube	464-112
1/2"	18"	Blue	4/tube	464-118

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

ADDITIONAL PRODUCTS

FN-1554 HOT DIP GALVANIZED				
DIAMETER	LENGTH	TIPS	COUNT	SKU
3/4"	2'	Blue	5/tube	466-3402
3/4"	3'	Blue	5/tube	466-3403
3/4"	18"	Blue	5/tube	466-3418
5/8"	1'	Blue	8/tube	466-5801
5/8"	2'	Blue	8/tube	466-5802
5/8"	3'	Blue	8/tube	466-5803
5/8"	18"	Blue	8/tube	466-5818
7/8"	2'	Blue	4/tube	466-7802
7/8"	3'	Blue	4/tube	466-7803
7/8"	18"	Blue	4/tube	466-7818
1"	2'	Blue	3/tube	466-102
1"	18"	Blue	4/tube	466-118

PLAIN: Recommended for indoor applications where moisture is not a factor				
DIAMETER	LENGTH	TIPS	COUNT	SKU
1"	12'	Orange	3/tube	494-112
1/2"	12'	Blue	12/tube	494-1212
3/4"	12'	Yellow	5/tube	494-3412
3/8"	10'	Yellow	25/tube	494-3810
5/8"	10'	Red	8/tube	494-5810
5/8"	12'	Red	8/tube	494-5812

WITH GREEN TIPS			
DIAMETER	LENGTH	COUNT	SKU
7/8"	12'	4/tube	494-7812

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Threaded Rod

ZINC PLATED: Provides minimal corrosion resistance			
DIAMETER	LENGTH	COUNT	SKU
1/4"	10'	50/tube	495-1410-TUBE
1/4"	10'	1/pc	495-1410PC
3/8"	6'	25/tube	495-3806
3/8"	10'	25/tube	495-3810
1/2"	6'	12/tube	495-1206
1/2"	10'	12/tube	495-1210
1/2"	12'	12/tube	495-1212
5/8"	1'	8/tube	495-5801
5/8"	2'	8/tube	495-5802
5/8"	3'	8/tube	495-5803
5/8"	6'	8/tube	495-5806
5/8"	10'	8/tube	495-5810

NAILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

ADDITIONAL PRODUCTS

ZINC PLATED: Provides minimal corrosion resistance			
DIAMETER	LENGTH	COUNT	SKU
5/8"	12'	8/tube	495-5812
5/8"	18'	8/tube	495-5818
3/4"	1'	5/tube	495-3401
3/4"	3'	5/tube	495-3403
3/4"	6'	5/tube	495-3406
3/4"	10'	5/tube	495-3410
3/4"	12'	5/tube	495-3412
7/8"	3'	4/tube	495-7803
7/8"	6'	4/tube	495-7806
7/8"	10'	4/tube	495-7810
7/8"	12'	4/tube	495-7812
1"	3'	3/tube	495-103
1"	6'	3/tube	495-106
1"	10'	3/tube	495-110
1"	12'	3/tube	495-112
1-1/8"	3'	2/tube	495-11803
1-1/8"	6'	2/tube	495-11806
1-1/8"	10'	2/tube	495-11810
1-1/8"	12'	2/tube	495-11812
1-1/4"	6'	2/tube	495-11406
1-1/4"	10'	2/tube	495-11410

AILS

COLLATED

SCREWS

CONCRETE

FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS



Threaded Rod

HOT DIP GALVANIZED: Provides good corrosion resistance and is acceptable for most types of pressure-treated wood and exterior applications				
DIAMETER	LENGTH	TIP	COUNT	SKU
1/2"	6'	Blue	12/tube	496-1206
1/2"	12'	Blue	12/tube	496-1212
5/8"	3'	Red	8/tube	496-5803
5/8"	6'	Red	8/tube	496-5806
5/8"	10'	Red	8/tube	496-5810
5/8"	12'	Red	8/tube	496-5812
3/4"	6'	Yellow	5/tube	496-3406
3/4"	12'	Yellow	5/tube	496-3412
7/8"	6'	Green	4/tube	496-7806
7/8"	12'	Green	4/tube	496-7812
1"	6'	Orange	3/tube	496-106
1"	12'	Orange	3/tube	496-112
1-1/8"	6'	Black	2/tube	496-11806
1-1/8"	12'	Black	2/tube	496-11812

STEEL B7: High strength, ASTM A193 B7 recommended for use in high pressure applications				
DIAMETER	LENGTH	TIP	COUNT	SKU
1"	12'	Red	3/tube	497-112
1-1/8"	12'	Red	2/tube	497-11812
3/4"	12'	Red	5/tube	497-3412
5/8"	12'	Red	8/tube	497-5812
7/8"	12'	Red	4/tube	497-7812

NAILS

COLLATED

SCREWS

CONCRETE


FENCING

ACOUSTICAL

POLY

ADDITIONAL
PRODUCTS

Nail Size Chart



Conversion Table

FRACTION	DECIMAL
1/16	.0625
1/8	.125
3/16	.1875
1/4	.25
5/16	.3125
3/8	.375
7/16	.4375
1/2	.5
9/16	.5625
5/8	.625
11/16	.6875
3/4	.75
13/16	.8125
7/8	.875
15/16	.9375
1	1.0

Wire Gauge Chart

Gauge		Decimal	Ft./ Lb.
2	–	.2625	5.441
	1/4	.258	5.632
	1/2	.253	5.857
	3/4	.248	6.096
3	–	.2437	6.313
	1/4	.239	6.563
	1/2	.235	6.789
	3/4	.230	7.087

Gauge		Decimal	Ft./ Lb.
4	–	.2253	7.386
	1/4	.221	7.676
	1/2	.216	8.035
	3/4	.212	8.341
5	–	.207	8.750
	1/4	.203	9.096
	1/2	.200	9.373
	3/4	.196	9.759
6	–	.192	10.17
	1/4	.188	10.81
	1/2	.185	10.95
	3/4	.181	11.44

Gauge		Decimal	Ft./ Lb.
7	–	.177	11.97
	1/4	.173	12.53
	1/2	.170	12.97
	3/4	.166	13.61
8	–	.162	14.29
	1/4	.159	14.83
	1/2	.155	15.60
	3/4	.152	16.23
9	–	.1483	17.05
	1/4	.145	17.83
	1/2	.142	18.57
	3/4	.138	19.69

Gauge		Decimal	Ft./ Lb.
10	–	.135	20.57
	1/4	.131	21.85
	1/2	.128	22.88
	3/4	.124	24.38
11	–	.1205	25.82
	1/4	.117	27.39
	1/2	.113	29.36
	3/4	.109	31.55
12	–	.1055	33.69
	1/4	.102	36.03
	1/2	.099	38.25
	3/4	.095	41.54



ACCENT
BUILDING
MATERIALS

STRIKER[®]

BUILD STRONGER WITH STRIKER



**FOR DETAILS OR TO PLACE AN ORDER
CALL YOUR SALES REP OR LOCAL DISTRIBUTION CENTER**



TOMBALL, TX
877.546.2457
abmorders@accentbuild.com

CYPRESS, CA
877.530.1911
abmordersca@accentbuild.com

ACCENTBUILD.COM